

Chicago Flu Update



City of Chicago Rahm Emanuel, Mayor

April 5, 2013

Chicago Department of Public Health Bechara Choucair, MD, Commissione

Seasonal Influenza Activity

The risk of influenza infection in Chicago is low. However, seasonal influenza viruses continue to circulate with influenza B strains predominating for the past several weeks. During the week of March 24-30, 2013, 87.5% of all specimens tested for influenza were positive for influenza B. Vaccination remains the best form of protection against influenza infections and is recommended as long as influenza virus is circulating in the community. Healthcare providers and retail pharmacies continue to have vaccine available. For those without healthcare providers or insurance, a complete <u>list of CDPH Immunization clinics</u>¹ is available on the City website and by calling 311.

Novel influenza A (H7N9)

As of April 4, 2013, Chinese public health officials have reported 14 cases of human infection with a novel avian influenza A (H7N9) virus from four different provinces in China. No person-to-person transmission or epidemiologic link between any of the cases has been identified. At this time, no cases of human infection with avian influenza A (H7N9) viruses have been detected in the United States. For additional information about the situation in China and CDC's updated recommendations for clinicians and public health department staff, please log on to the Chicago Health Alert Network (HAN). The rest of this report summarizes seasonal influenza activity in Chicago

Are severe cases of influenza occurring?

Suspected novel and variant influenza, pediatric influenza-associated deaths, influenza-associated ICU hospitalizations and outbreaks of influenza-like illness in a congregate setting should all be reported to CDPH via INEDSS². For the week of March 24-30, 2013 (week 13), one influenza-associated ICU hospitalization was reported. This week last season, there were seven reported ICU hospitalizations.

Since September 30, 2012, 176 influenza-associated ICU hospitalizations have been reported (Figure 1). Among the total ICU hospitalizations reported, 168 (96%) were positive for influenza A (71 H3N2, 7 H1N1, and 90 not subtyped) and 8 were positive for influenza B. One-hundred five (60%) were female, 65 (37%) were African-American, and 132 (75%) were 50 years of age or older (median age of 64 years with a range between 8 months-97 years). Seventy-one (41%) had lung disease, 64 (37%) had cardiac disease and 42 (24%) required ventilator support. Sixteen deaths have been reported including one under 18 years of age. All were positive for influenza A (44% subtyped as H3N2 and 56% were not subtyped), 15 (94%) were 50 years of age or older, 69% were female, 62% were NH-White, and 56% had cardiac disease.

How much influenza-like illness is occurring?

CDPH receives data from over 50 surveillance sites across Chicago, which report the total number of patient visits per

Figure 1. Number of influenza-associated intensive care unit hospitalizations reported for Chicago residents, for current season (2012-2013) and previous season (2011-2012), October-May.





Figure 2. Percent of <u>emergency department</u> visits attributed to influenza-like illness based on manual reporting as determined by individual hospitals, Chicago, by week, for current season (2012-2013) and previous two seasons, October-May.



week, and of those visits, the number with influenza-like illness (ILI) (i.e., fever of 100°F or greater, with cough or sore throat). All hospitals in Chicago are required to report on a weekly basis the total number of emergency department visits, and of those visits, the number with ILI. For the week of March 24-30, 2013, with 12 hospitals reporting, 3.1% of emergency department visits were due to ILI. This is similar to levels seen during the same week last season (Figure 2).

ESSENCE is an electronic syndromic surveillance system that utilizes emergency department chief complaint data submitted daily by participating Chicago hospitals. Currently, 10 Chicago hospitals submit data to ESSENCE. Figure 3 shows the percent of the total emergency department visits due to ILI for pediatric patients (2.2%) and adult patients (<1%) for the week of March 24-30, 2013 plus the ILI activity by age group for the previous season. Pediatric ILI levels remain lower than levels seen during the same week last season and adult ILI levels are similar to levels seen during the same week last season.

Several outpatient clinics and two large outpatient clinic networks located in Chicago participate in CDC's Influenza-like Illness Surveillance Network (ILINet) by reporting on the number of patients with ILI seen weekly. From March 24-30, 2013, with 34 outpatient clinics reporting, 4.2% of doctor's office visits were due to influenza-like illness. This is similar to levels seen during the same week last season and is over three percentage points lower than the peak reached in December (Figure 4).

Which influenza strains are circulating?

Data on influenza virus test results are reported by Chicago laboratories performing influenza subtyping. For the week of March 24-30, 2013, with 6 laboratories reporting, **16 of the 258 (6.2%)** specimens tested for influenza were positive. This week last season, 14.5% of specimens tested positive for influenza. Among this week's positive specimens, 2 were typed as influenza A (2009 H1N1) and 14 typed as influenza B (**Figure 5**). Since September 2012, **1,520 of 11,312 (13.4%)** specimens tested for influenza have been positive; 1,357 typed as influenza A (1,063 H3N2, 94 2009 H1N1, and 200 not subtyped) and 163 typed as influenza B.

Where can I get more information?

The Centers for Disease Control and Prevention's <u>FluView</u>³ report provides national updates and trends related to the intensity of influenza activity across the United States, as well as detailed information on antiviral resistance, severity of illness, and other topics. Updates specific to <u>Illinois</u>⁴ and <u>Suburban Cook County</u>⁵ are also available online. Current and archived issues of the *Chicago Flu Update* can be found on the CDPH website section <u>Current Flu Situation in Chicago</u>⁶.



Figure 3. Percent of <u>emergency department</u> visits attributed to influenza-like illness* based on chief complaint data submitted to <u>ESSENCE</u>, Chicago, by week, for current season (2012-2013) and previous season (2011-2012), October-May.




Figure 4. Percent of <u>outpatient</u> visits attributed to influenzalike illness, Chicago, by week, for current season (2012-2013) and previous two seasons, October-May.





Figure 5. Percent of specimens testing positive (by RT-PCR) for influenza by subtype as reported by local laboratories serving Chicago hospitals, for the current season (2012-2013) October-May.



Report is preliminary and may change as additional data is received