Health Status Index Series Volume XVI Number III

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM (BRFSS): CHICAGO REFERENCE TABLES



Office of Epidemiology Department of Public Health Clty of Chicago

Behavioral Risk Factor Surveillance System (BRFSS): Chicago Reference Tables

Girma Woldemichael, Sc.D. Kirsti A. Bocskay, Ph.D., M.P.H. Dana Harper-Jemison, B.S. Sandra D. Thomas, M.D., M.S.

Copyright Information

All material appearing in this report is in the public domain and may be reproduced or copied without permission; citation as to source, however, is appreciated.

Suggested Citation

Woldemichael G, Bocskay KA, Harper-Jemison D., Thomas SD. Behavioral Risk Factor Surveillance System (BRFSS): Chicago Reference Tables. Health Status Index Series Vol. XVI No. III. Chicago, Illinois: Chicago Department of Public Health Office of Epidemiology, 2007.



Chicago Department of Public Health Terry Mason, M.D. • Commissioner

PREFACE

i

This edition of the annual Behavioral Risk Factor Surveillance System Chicago Reference Tables for 2005 has similar content and organization as the 2004 edition but includes some additional variables focused on heart disease prevalence, arthritis, osteoporosis and emotional support and life satisfaction. We hope this report will prove helpful in developing effective interventions for improving the health and well-being of Chicagoans. We welcome any questions, comments, or suggestions for improvements. Please contact:

> Office of Epidemiology Chicago Department of Public Health DePaul Center, Room 2137 333 South State Street Chicago, Illinois 60604-3972 (312) 747-9810

CONTENTS

Introduction and Methods1
Health Risk Factors and Chronic Conditions3
Demographics4
Health Status
Disability10 Activities Limited Due to Health Problems Special Equipment Use
Emotional Support & Life Satisfaction12 Social and Emotional Support Life Satisfaction
Health Care Access
Oral Health21 Dental Converage Prevented from Seeing Dentist Due to Cost
Hypertension Awareness23 High Blood Pressure High Blood Pressure Medication

Cholesterol Awareness25 Cholesterol Checked High Cholesterol
Immunization27 Flu Shot and Mist Pneumonia Vaccine
Osteoporosis
Cardiovascular Disease Prevalence
Diabetes
Asthma40 Ever Diagnosed with Asthma Still Have Asthma Currently Have Asthma Asthma Medication Asthma Emergency Room Visits Sought Treatment for Asthma Inhaler Use

Arthritis Burden	Weight Control
Limitations Due to Arthritis/Joint Symptoms Losing Weight to Help Arthritis/Joint Symptoms Exercising to Help Arthritis/Joint Symptoms Arthritis/Joint Symptoms Management Course	Nutrition75 Drinking Fruit Juice Eating Fruit Eating Salad
STD/HIV/AIDS	Eating Potatoes and Carrots Eating Vegetables
Location of HIV Test Risk of Sexually Transmitted Disease and HIV/AIDS Sexually Transmitted Diseases Hepatitis	Physical Activity80 Any Exercise Enough Exercise Moderate Activity
Alcohol Consumption	Weekly Moderate Activity Frequency Daily Moderate Activity Duration Moderate Activity Criteria Vigorous Activity Weekly Vigorous Activity Frequency Daily Vigorous Activity Duration
Tobacco Use	Vigorous Activity Criteria Regular & Sustained Physical Activity

WHAT IS THE BRFSS?

1

The Behavioral Risk Factor Surveillance System (BRFSS) is a collaboration between the U.S. Centers for Disease Control and Prevention (CDC) and state health departments. This system was designed to gather locally relevant information on health related behaviors related to the leading causes of death in the U.S. It has expanded to include data on the prevalence of selected health conditions, and access to health services. Each state has options for sample design and data collection within parameters set by the CDC.

SURVEY SYSTEM

The BRFSS is a telephone based survey system of non-institutionalized adults. The survey is in the field on a continual basis. A probability sample of telephone numbers is generated on a quarterly basis, and provides the sampling frame for identifying eligible households. States conduct interviews during each month in accordance with a prescribed protocol, and incorporate surveillance results into computer files. States edit and correct completed interviews each month. Data are aggregated and tabulated on an annual basis. Illinois is stratified into 5 regions: Chicago, suburban Cook County, Collar Counties, other Urban Counties, and Rural Counties. The sampling process described above is performed within each region during the data collection phase.

SURVEY INSTRUMENT

The BRFSS survey instrument is organized in a modular fashion. The five sections are:

- 1. Fixed Core
- 2. Two Rotating Cores
- 3. Optional Modules
- 4. Emerging Core
- 5. State-Added Questions

The fixed core is used in all states every year, the rotating cores are used in all states in an alternating fashion- one form is used for odd numbered years, the other form is used for even numbered years. The rotating cores are used in all states. Optional modules are standardized sets of questions on a wide variety of issues available for states to use based on their needs. The emerging core is used to add questions of topical interest, and to evaluate questions for potential use in future surveys. State-Added questions are unique to each jurisdiction and can be used to cover questions that are not addressed elsewhere in the survey.

Since 1994, the BRFSS in Illinois has varied from the standard methodology by using two forms of the questionnaire - respondents are randomly allocated to either form. One form of the questionnaire contains the rotating core for the current year and the alternate form contains the rotating core for the previous year.

WEIGHTING

The data are weighted prior to tabulation and analysis. Weighting data corrects for study design features and variation of the age/race/sex subgroups between the sample and the general population. Weighting allows inferences to be drawn about the entire adult population from the sample of interview respondents. Region-specific weights are developed post-collection. These techniques allow valid statistics to be generated for each region, in addition to statewide statistics.

Weighted frequencies are based on intercensal population estimates for 2005 developed by the Illinois Department of Public Health. As such, these frequencies may differ from population estimates for the adult Chicago population in other publications produced by the Chicago Department of Public Health.

CHICAGO ANALYSES

The data for the analyses presented in this volume are extracted from BRFSS files provided by the Illinois Department of Public Health for Chicago. Each questionnaire item was examined for non-response or non-valid response percentages. All items included in this report were found to have sufficient valid response rates for further analysis. Frequency tables with percentages were generated for each item. Percentages were based on the universe of valid responses, not the entire respondent pool. Since Chicago has a much smaller sample size than the statewide sample, responses for many items were collapsed into categories (based on literature review and local needs) to improve the validity and stability of the estimates. The response categories used in this volume may vary from other reports that use BRFSS data. Data are weighted with the appropriate local weights, except when weighting is not possible due to limited sample size.

DATA PRESENTATION

This volume is organized into sections containing related survey questions. The text for each question is presented, and the skip pattern is defined (for relevant questions). The weighted percent and frequency, and number in the sample for each response category for the question are then listed. For questions that were not asked of the entire sample, the frequencies reported will not total to the (estimated) Chicago adult population. Due to rounding, the reported frequencies for a question may not total to 100 percent. If sufficient numbers are available, responses will be stratified by gender, age, race/ethnicity, household type, marital status, and/or income, and presented in tabular form.

HEALTH RISK FACTORS AND CHRONIC CONDITIONS

			COME	PARE TO:
RISK FACTOR/CHRONIC CONDITION	CHICAG	GO (95% CI)	ILLINOIS	UNITED STATES
General health status is poor	5.2	(3.5, 6.9)	3.7	4
Rarely or never get needed social and emotional support	11.6	(8.1, 15.2)	9.2	NA
Dissatisfied with life	7.6	(5.2, 10)	5.4	NA
No health care coverage	18.8	(14.5, 23.1)	14.5	14.5
Prevented from visiting dentist due to cost	27.8	(21.2, 34.3)	18.8	NA
Diagnosed with high blood pressure	24.1	(20.3, 28)	25.5	25.5
Diagnosed with high cholesterol	36.5	(31, 42)	36.2	35.6
No flu shot during the past year (65+)	51.4	(40.3, 62.4)	NA	34.5
Never had pneumonia vaccine (65+)	51.2	(40.1, 62.5)	42.9	34.3
Diagnosed with osteoporosis	5.4	(2.3, 8.5)	5.2	NA
Ever had a heart attack	4.9	(2.6, 7.2)	3.9	NA
Diagnosed with diabetes	10.5	(7.2, 13.7)	8	7.3
Ever diagnosed with asthma	11.6	(8.8, 14.3)	10.6	12.6
Diagnosed with arthritis	22.2	(18.5, 25.8)	24.8	26.9
At risk of contracting a STD or HIV, or developing AIDS	5.2	(2.7, 7.7)	3.6	NA
Treated for a STD in the last 5 years	3	(1.2, 4.8)	1.9	NA
Diagnosed with hepatitis	2.8	(0.9, 4.7)	2.3	NA
Current smoker	19.1	(15.5, 22.8)	19.9	20.5
Overweight, obese or morbidly obese (BMI > 24.9)	59.8	(55, 64.7)	59.9	61.1
Not meeting recommended physical activity standard	41.2	(36.3, 46.1)	40.3	NA

Values shown are percents weighted for the appropriate population in each jurisdiction. United States includes all 50 states, Washington D.C. and U.S. territories abroad.

NA = Data not available.

DEMOGRAPHICS

4

	NUMBER IN SAMPLE	WEIGHTED PERCENT	WEIGHTED FREQUENCY
SEX			
Male	216	44.9	634,275
Female	441	55.1	778,637
Pregnant*			
Yes	12	4.7	20,633
No	202	95.3	415,426
AGE			
18-24	42	13.4	189,145
25-44	274	44.3	625,194
45-64	214	26.6	375,718
65+	125	15.6	220,758
AGE 40			
< 40	257	49	690,805
40-64	273	35.4	499,251
65+	125	15.6	220,758
AGE 50			
< 50	380	66.6	939,720
50-64	150	17.7	250,336
65+	125	15.6	220,758
ETHNICITY			
Hispanic	91	19	268,757
Non-Hispanic	566	81	1,144,154
RACE [†]			
Black	234	42	590,104
Other [‡]	63	11.8	165,825
White	357	46.2	648,065
RACE [†] /SEX			
Black Female	175	27.6	342,167
Black Male	59	20	247,937
White Female	218	26.6	328,802
White Male	139	25.8	319,263
VETERAN STATUS			
Served on active military duty in United States Armed Forces [§]	58	8.8	124,570
PHONE STATUS			
Without phone service for 1 week or more during past 12 months	21	4.5	63,215

*For women between the ages of 18-44.

[†]Includes Hispanic and non-Hispanic persons.

[‡]Includes persons who identified themselves as Asian/Pacific Islander, Native American, Other Race or Multiple Race.

§Includes regular military, Natuional Guard or reserve units.

DEMOGRAPHICS

	NUMBER IN SAMPLE	WEIGHTED PERCENT	WEIGHTED FREQUENCY
MARITAL STATUS			
Divorced/separated	111	12.4	174,273
Married	247	41.9	590,790
Never married	201	31.9	449,334
Unmarried couple	29	6.4	90,513
Widowed	66	7.5	105,052
NUMBER OF ADULTS			
One	266	21.4	302,355
Two	314	52.6	743,550
Three or more	77	26	367,006
NUMBER OF CHILDREN			
None	448	62.4	880,830
One	85	14.1	198,856
Two or more	122	23.5	331,162
HOUSEHOLD TYPE			
One adult, no children	218	17.3	244,746
More than one adult, no children	229	45	635,426
One adult, child/ren	47	4	56,710
More than one adult, child/ren	161	33.6	473,996
EDUCATION			
Less than high school	74	14.3	201,579
High school graduate/GED	139	23.5	331,509
Some college/technical school	171	26.8	378,223
College graduate	272	35.5	500,702
EMPLOYMENT			
Employed	376	58.3	823,291
Homemaker/student	49	8.2	116,243
Retired/unable to work	68	13.5	190,134
Unemployed	163	20	282,345
HOUSEHOLD INCOME			
Less than \$15,000	94	15.8	193,423
\$15,000-24,999	101	18.9	231,319
\$25,000-49,999	159	29.4	359,965
\$50,000-74,999	94	16.3	199,474
More than \$75,000	131	19.7	242,197
HOUSEHOLD INCOME 2			
Less than \$15,000	94	15.8	193,423
\$15,000-34,999	175	33.3	408,063
\$35,000-49,999	85	14.9	183,222
More than \$50,000	225	36	441,671

PERCEPTION OF HEALTH

Would you say t your health is: e good, good, fair	excellent, very		NUMBER IN SAMPLE WITH FAIR OR POOR HEALTH		95% CI
g000, g000, juli	01 p001.	TOTAL	141	21.8	17.6, 25.9
	WEIGHTED	GENDER			
	PERCENT	Female	99	22.4	17.8, 27
EXCELLENT	15.6	Male	42	21	13.6, 28.4
VERY GOOD	29.7	AGE			
GOOD	33	18-24	*	*	*
FAIR	16.6	25-44	33	13.4	7.9, 18.9
POOR	5.2	45-64	54	29.3	21.1, 37.5
	512	65+	51	43.2	32.2, 54.3
	WEIGHTED	ETHNICITY			
	FREQUENCY	Hispanic	32	38.9	26.7, 51.1
EXCELLENT	220,613	Non-Hispanic	109	17.7	13.8, 21.7
VERY GOOD	419,007	RACE [†]			
GOOD	465,646	Black	72	28.1	20.9, 35.3
FAIR	234,472	White	56	16.8	11.2, 22.5
POOR	73,172	RACE [†] /SEX			
		Black Female	54	28.8	21.1, 36.5
TOTAL IN SAMPLE	657	Black Male	18	27.1	13.7, 40.6
		White Female	36	16.2	10.5, 21.9
		White Male	22	18.2	8.4, 28.1
		HOUSEHOLD TYPE			
		One adult, no children	54	24.1	18.1, 30.2
		> 1 adult, no children	46	20.2	14.1, 26.4
		One adult, child/ren	13	29.2	15.5, 42.9
		> 1 adult, child/ren	28	21.8	13.3, 30.4
		INCOME			
		Less than \$15,000	47	50.5	37.4, 63.5
		\$15,000-24,999	33	33.1	21.8, 44.5
		\$25,000-49,999	30	21.1	12.1, 30.1
		\$50,000-74,999	*	*	*
		More than \$75,000	8	5.2	0.9, 9.5

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

PHYSICAL HEALTH NOT GOOD

<i>physical illness</i> <i>for how many</i>	n, which includes	TOTAL	NUMBER IN SAMPLE WITH AT LEAST 1 DAY (IN PAST 30) WHEN PHYSICAL HEALTH WAS NOT GOOD 261	WEIGHTED PERCENT 38.4	95% CI 33.6, 43.1
health not goo	5 1 5	GENDER			
0		Female	180	41.2	35.7, 46.6
	WEIGHTED	Male	81	35	26.8, 43.2
	PERCENT	AGE			
NONE	61.6	18-24	16	35	19.3, 50.7
1-7 days	23.2	25-44	92	31.9	25.2, 38.6
8-30 DAYS	15.1	45-64	99	48.4	39.4, 57.4
		65+	54	43.4	32.4, 54.4
	WEIGHTED	ETHNICITY			
	FREQUENCY	Hispanic	35	32.6	22.1, 43.1
NONE	865,085	Non-Hispanic	226	39.7	34.5, 45
1-7 days	326,282	RACE [†]			
8-30 DAYS	212,626	Black	94	38.4	30.3, 46.6
TOTAL IN SAMPLE	651	White	137	36.9	30.7, 43.2
	001	RACE [†] /SEX			
		Black Female	74	40.1	31.8, 48.4
		Black Male	20	36.2	20.4, 51.9
		White Female	85	40	32.1, 47.9
		White Male	55	34.6	25, 44.2
		HOUSEHOLD TYPE			
		One adult, no children	82	37.3	30.3, 44.4
		> 1 adult, no children	103	44.7	36.8, 52.5
		One adult, child/ren	21	43.8	29, 58.6
		> 1 adult, child/ren	55	30	21.8, 38.2
		INCOME			
		Less than \$15,000	47	43.2	30.6, 55.8
		\$15,000-24,999	40	37	25.6, 48.5
		\$25,000-49,999	67	39.3	29.9, 48.8
		\$50,000-74,999	29	31.4	19.1, 43.6
		More than \$75,000	44	35.2	25.8, 44.6

[†]Includes Hispanic and non-Hispanic persons.

MENTAL HEALTH NOT GOOD

1 2	Now thinking al mental health, v stress, depressic problems with e	which includes on, and		NUMBER IN SAMPLE WITH AT LEAST 1 DAY (IN PAST 30) WHEN MENTAL HEALTH WAS NOT GOOD	WEIGHTED PERCENT	95% CI
1	how many days	during the past	TOTAL	249	37.1	32.4, 41.9
	30 days was you	ir mental health	GENDER			
1	not good?		Female	175	40.8	35.4, 46.3
			Male	74	32.6	24.5, 40.7
		WEIGHTED	AGE			
		PERCENT	18-24	23	50.3	33.2, 67.4
	NONE	62.9	25-44	112	37.2	30.4, 44
	1-7 days	21.7	45-64	84	39	30.1, 47.9
	8-30 DAYS	15.4	65+	29	21.8	13.3, 30.3
			ETHNICITY			
		WEIGHTED	Hispanic	31	34.7	23.3, 46.2
	NONE	FREQUENCY	Non-Hispanic	218	37.7	32.5, 42.9
	NONE	878,824	RACE [†]			
	1-7 DAYS	303,803	Black	83	33.2	25.5, 40.9
	8-30 days	215,237	White	147	43.2	36.6, 49.8
	TOTAL IN SAMPLE	647	RACE [†] /SEX			
		017	Black Female	69	38.2	30, 46.4
			Black Male	14	26.2	11.6, 40.9
			White Female	91	44.3	36.3, 52.3
			White Male	57	40.6	30.2, 51
			HOUSEHOLD TYPE			
			One adult, no children	84	39.7	32.5, 46.8
			> 1 adult, no children	83	37.7	30, 45.4
			One adult, child/ren	21	41	26.6, 55.4
			> 1 adult, child/ren	61	34.7	26.1, 43.2
			INCOME			
			Less than \$15,000	40	39.8	27, 52.6
			\$15,000-24,999	40	38	26.7, 49.3
			\$25,000-49,999	62	37.6	28.2, 47
			\$50,000-74,999	37	35.9	23.8, 48
			More than \$75,000	47	37.4	27.6, 47.1
			+			

[†]Includes Hispanic and non-Hispanic persons.

KEPT FROM USUAL ACTIVITIES DUE TO POOR HEALTH

During the past about how man physical or men	y days did poor tal health keep		NUMBER IN SAMPLE WITH AT LEAST 1 DAY (IN PAST 30) OF ACTIVITY LIMITATION	WEIGHTED PERCENT	95% CI
<i>you from doing activities, such</i>		TOTAL	155	40.8	34.4, 47.2
work, or recreat	2	GENDER			
		Female	104	38.1	31.3, 44.9
For respondents w	vsical and/or mental	Male	51	44.7	32.6, 56.9
health was not goo		AGE			
0		18-24	15	53.4	32.8, 74
	WEIGHTED	25-44	51	31.2	22.7, 39.8
	PERCENT	45-64	60	43.2	32, 54.5
NONE	59.2	65+	29	51.8	36, 67.5
1-7 days	26.2	ETHNICITY			
8-30 DAYS	14.5	Hispanic	22	42	26.7, 57.2
		Non-Hispanic	133	40.5	33.5, 47.6
	WEIGHTED	$RACE^{\dagger}$			
	FREQUENCY	Black	55	42.4	30.9, 53.9
NONE	470,357	White	84	39.9	31.5, 48.2
1-7 days	208,475	RACE [†] /SEX			
8-30 DAYS	115,462	Black Female	43	40.2	29.7, 50.7
		Black Male	12	46	21.5, 70.4
TOTAL IN SAMPLE	375	White Female	50	37.6	27.5, 47.7
		White Male	36	43.3	29.7, 56.9
		HOUSEHOLD TYPE			
		One adult, no children	50	40.3	30.7, 49.8
		> 1 adult, no children	61	44.7	34.6, 54.8
		One adult, child/ren	14	47.2	28.2, 66.1
		> 1 adult, child/ren	30	34.2	22.2, 46.1
		INCOME			
		Less than \$15,000	32	48.1	32.6 ,63.7
		\$15,000-24,999	34	58.9	43.5, 74.3
		\$25,000-49,999	35	34.1	22.5, 45.8
		\$50,000-74,999	15	25.1	11.2, 39
		More than \$75,000	20	35.5	21.9, 49.1
		[†] Includes Hispanic and non-H	Hispanic persons		

[†]Includes Hispanic and non-Hispanic persons.

ACTIVITES LIMITED DUE TO HEALTH PROBLEMS

Are you limited in any way in any activities because of physical, mental or emotional problems?

YES	WEIGHTED PERCENT 16.5
NO	83.5
	WEIGHTED FREQUENCY
YES	233,265
NO	1,178,712
TOTAL IN SAMPLE	656

	NUMBER IN SAMPLE WITH HEALTH-RELATED ACTIVITY LIMITATIONS	WEIGHTED PERCENT	95% CI
TOTAL	128	16.5	13.2, 19.8
GENDER			
Female	90	19.3	15, 23.6
Male	38	13.1	8.1, 18.1
AGE			
18-24	*	×	×
25-44	21	7.1	3.8, 10.4
45-64	72	29.9	22.5, 37.3
65+	30	26.3	15.8, 36.8
ETHNICITY			
Hispanic	14	12.2	5.5, 18.9
Non-Hispanic	114	17.5	13.8, 21.3
RACE [†]			
Black	62	21.9	15.8, 28
White	61	14.6	10.3, 19
RACE [†] /SEX			
Black Female	48	24.7	17.6, 31.8
Black Male	14	18	7.7, 28.4
White Female	39	18.1	11.7, 24.4
White Male	24	11.9	6.2, 17.6
HOUSEHOLD TYPE			
One adult, no children	56	23.9	17.9, 29.9
> 1 adult, no children	39	15.9	10.7, 21.1
One adult, child/ren	10	20.4	8.6, 32.1
> 1 adult, child/ren	23	13.1	7.2, 19
INCOME			
Less than \$15,000	36	33.1	21.5, 44.7
\$15,000-24,999	31	26.8	16.3, 37.2
\$25,000-49,999	23	12.6	6.8, 18.3
\$50,000-74,999	12	11.5	4.3, 18.7
More than \$75,000	15	8.9	3.5, 14.2
+- · · · · · · ·			

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

SPECIAL EQUIPMENT USE

Do you have any health problem that requires you to use special equipment, such as a cane, wheelchair, special bed, or a special telephone? (Include occasional use or use in certain circumstances.)

	WEIGHTED PERCENT
YES	7.9
NO	92.1
	WEIGHTED
	FREQUENCY
YES	111,868
NO	1,300,109
TOTAL IN SAMPLE	656

	NUMBER IN SAMPLE WHO USE SPECIAL EQUIPMENT	WEIGHTED PERCENT	95% CI
TOTAL	59	7.9	5.4, 10.4
GENDER			
Female	44	9.2	6, 12.5
Male	15	6.3	2.4, 10.2
AGE			
18-24	*	*	*
25-44	*	*	*
45-64	27	12.6	7.2, 17.9
65+	28	26.3	15.6, 37.1
ETHNICITY			
Hispanic	6	4.6	0.8, 8.4
Non-Hispanic	53	8.7	5.8, 11.6
RACE [†]			
Black	37	13.9	8.6, 19.2
White	19	3.3	1.6, 4.9
RACE [†] /SEX			
Black Female	30	16	9.6, 22.4
Black Male	7	11	2, 20
White Female	13	4.5	1.5, 7.5
White Male	7	3	0.5, 5.5
HOUSEHOLD TYPE			
One adult, no children	31	14.5	9.3, 19.8
> 1 adult, no children	17	7.6	3.7, 11.5
One adult, child/ren	×	*	×
> 1 adult, child/ren	8	5.3	0.9, 9.6
INCOME			
Less than \$15,000	23	21	11.5, 30.4
\$15,000-24,999	16	16.2	6.6, 25.7
\$25,000-49,999	7	3.7	0.9, 6.6
\$50,000-74,999	*	*	*
More than \$75,000	*	*	×

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

SOCIAL AND EMOTIONAL SUPPORT

How often do you get the social and emotional support you need: always, usually, sometimes, rarely or never?

	WEIGHTED PERCENT
ALWAYS	45.6
USUALLY	26.9
SOMETIMES	15.8
RARELY	5.9
NEVER	5.7
	WEIGHTED FREQUENCY
ALWAYS	612,926
USUALLY	361,208
SOMETIMES	212,396
RARELY	79,608
NEVER	76,660
TOTAL IN SAMPLE	632

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

TOTAL6911.68.1, 15.2GENDERFemale418.85.8, 11.7Male2815.48.3, 22.5AGE18-24**25-44187.33, 11.645-642818.79.8, 27.665+2119.210, 28.4ETHNICITYHispanic1518.68.5, 28.7Non-Hispanic5410.16.4, 13.7		NUMBER IN SAMPLE WHO RARELY OR NEVER GET NEEDED SUPPORT	WEIGHTED PERCENT	95% CI
Female418.85.8, 11.7Male2815.48.3, 22.5AGE187.33, 12.618-24***25-44187.33, 11.645-642818.79.8, 27.665+2119.210, 28.4ETHNICITY1518.68.5, 28.7Non-Hispanic5410.16.4, 13.7	TOTAL	69	11.6	8.1, 15.2
Male2815.48.3, 22.5AGE***18-24***25-44187.33, 11.645-642818.79.8, 27.665+2119.210, 28.4ETHNICITYHispanic1518.68.5, 28.7Non-Hispanic5410.16.4, 13.7	GENDER			
AGE18-24***25-44187.33, 11.645-642818.79.8, 27.665+2119.210, 28.4ETHNICITYHispanic1518.68.5, 28.7Non-Hispanic5410.16.4, 13.7	Female	41	8.8	5.8, 11.7
18-24**25-44187.33, 11.645-642818.79.8, 27.665+2119.210, 28.4ETHNICITYHispanic1518.68.5, 28.7Non-Hispanic5410.16.4, 13.7	Male	28	15.4	8.3, 22.5
18-24187.33, 11.625-44187.33, 11.645-642818.79.8, 27.665+2119.210, 28.4ETHNICITYHispanic1518.68.5, 28.7Non-Hispanic5410.16.4, 13.7	AGE			
45-642818.79.8, 27.665+2119.210, 28.4ETHNICITYHispanic1518.68.5, 28.7Non-Hispanic5410.16.4, 13.7	18-24	*	*	*
65+2119.210, 28.4ETHNICITY1518.68.5, 28.7Non-Hispanic5410.16.4, 13.7	25-44	18	7.3	3, 11.6
ETHNICITY Hispanic 15 18.6 8.5, 28.7 Non-Hispanic 54 10.1 6.4, 13.7	45-64	28	18.7	9.8, 27.6
Hispanic1518.68.5, 28.7Non-Hispanic5410.16.4, 13.7	65+	21	19.2	10, 28.4
Non-Hispanic 54 10.1 6.4, 13.7	ETHNICITY			
	Hispanic	15	18.6	8.5, 28.7
	Non-Hispanic	54	10.1	6.4, 13.7
KACE	RACE [†]			
Black 27 13.1 6.6, 19.6	Black	27	13.1	6.6, 19.6
White 33 9.1 5, 13.2	White	33	9.1	5, 13.2
RACE [†] /SEX	RACE [†] /SEX			
Black Female 18 8.7 4.3, 13.1	Black Female	18	8.7	4.3, 13.1
Black Male 9 19.6 5.2, 34	Black Male	9	19.6	5.2, 34
White Female 19 7.9 4, 11.8	White Female	19	7.9	4, 11.8
White Male 15 10.3 3, 17.5	White Male	15	10.3	3, 17.5
HOUSEHOLD TYPE	HOUSEHOLD TYPE			
One adult, no children 21 11.9 6.8, 17.1	One adult, no children	21	11.9	6.8, 17.1
> 1 adult, no children 20 10.5 4.4, 16.5	> 1 adult, no children	20	10.5	4.4, 16.5
One adult, child/ren 8 18.4 6.6, 30.2	One adult, child/ren	8	18.4	6.6, 30.2
> 1 adult, child/ren 20 12.3 6.2, 18.4	> 1 adult, child/ren	20	12.3	6.2, 18.4
MARITAL STATUS	MARITAL STATUS			
Never married 22 8.6 4.5, 12.6	Never married	22	8.6	4.5, 12.6
Unmarried couple * * *	Unmarried couple	*	×	*
Married 25 11.6 6.6, 16.6	Married	25	11.6	6.6, 16.6
Divorced/separated 9 15.9 0.6, 31.2	Divorced/separated	9	15.9	0.6, 31.2
Widowed 12 19.3 7.2, 31.3	Widowed	12	19.3	7.2, 31.3
INCOME	INCOME			
Less than \$15,000 23 30 16.9, 43	Less than \$15,000	23	30	16.9, 43
\$15,000-24,99998.52.2, 14.8	\$15,000-24,999	9	8.5	2.2, 14.8
\$25,000-49,999146.92.8, 10.9	\$25,000-49,999	14	6.9	2.8, 10.9
\$50,000-74,999 6 7 0.8, 13.3	\$50,000-74,999	6	7	0.8, 13.3
More than \$75,000 6 6.7 0.4, 13	More than \$75,000	6	6.7	0.4, 13

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

LIFE SATISFACTION

In general, how satisfied are you with your life: very satisfied, satisfied, dissatisfied or very dissatisfied?

	WEIGHTED PERCENT
VERY SATISFIED	44.2
SATISFIED	48.2
DISSATISFIED*	7.6
	WEIGHTED FREQUENCY
VERY SATISFIED	610,459
SATISFIED	665,625
DISSATISFIED*	105,366
TOTAL IN SAMPLE *Includes very dissatisfie	641 ed.

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

	NUMBER IN SAMPLE WHO ARE DISSATISFIED WITH THEIR LIFE	WEIGHTED PERCENT	95% CI
TOTAL	50	7.6	5.2, 10
GENDER			
Female	31	8.1	5, 11.3
Male	19	7	3.3, 10.7
AGE			
18-24	*	*	*
25-44	17	5.7	2.7, 8.7
45-64	23	11.8	6.3, 17.3
65+	7	9.6	1.9, 17.4
ETHNICITY			
Hispanic	8	7.4	1.9, 12.9
Non-Hispanic	42	7.7	5, 10.4
RACE [†]			
Black	25	11.4	6.5, 16.3
White	22	4.8	2.6, 6.9
RACE [†] /SEX			
Black Female	18	11.7	6, 17.3
Black Male	7	11	2.2, 19.7
White Female	11	4.4	1.5, 7.3
White Male	11	4.9	1.8, 8.1
HOUSEHOLD TYPE			
One adult, no children	16	8.2	4.1, 12.4
> 1 adult, no children	16	7.1	3.3, 11
One adult, child/ren	6	13.5	3.3, 23.7
> 1 adult, child/ren	12	7.4	3.1, 11.6
MARITAL STATUS			
Never married	17	6.7	3.1, 10.4
Unmarried couple	*	*	*
Married	14	7.6	3.4, 11.8
Divorced/separated	11	10.1	3.6, 16.5
Widowed	*	*	*
INCOME			
Less than \$15,000	14	12.2	5.3, 19
\$15,000-24,999	10	11.9	3.7, 20.1
\$25,000-49,999	12	7	2.5, 11.5
\$50,000-74,999	*	*	×
More than \$75,000	*	*	*

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

Office of Epidemiology Chicago Department of Public Health

HEALTH CARE COVERAGE

Do you have any kind of health care coverage, including health insurance, prepaid plans such as HMOs, or government plans such as Medicare?

	WEIGHTED PERCENT
YES	81.2
NO	18.8
	WEIGHTED FREQUENCY
YES	1,146,971
NO	265,352
TOTAL IN SAMPLE	656

	NUMBER IN SAMPLE WHO HAVE NO HEALTH CARE COVERAGE	WEIGHTED PERCENT	95% CI
TOTAL	91	18.8	14.5, 23.1
GENDER			
Female	58	17.1	12.7, 21.5
Male	33	20.8	13, 28.7
AGE			
18-24	12	30.8	15, 46.6
25-44	37	17.2	11.2, 23.1
45-64	37	23.9	14.9, 32.9
65+	*	*	×
ETHNICITY			
Hispanic	21	29.3	17.6, 41.1
Non-Hispanic	70	16.3	11.8, 20.8
RACE [†]			
Black	44	22.3	15, 29.7
White	36	15	9.4, 20.6
RACE [†] /SEX			
Black Female	32	21.4	14.2, 28.5
Black Male	12	23.6	9.3, 38
White Female	17	10.6	5.1, 16
White Male	19	19	9.5, 28.6
HOUSEHOLD TYPE			
One adult, no children	19	9.5	5, 14
> 1 adult, no children	37	19.7	12.7, 26.7
One adult, child/ren	8	18.1	6.3, 30
> 1 adult, child/ren	27	22.5	14.4, 30.7
INCOME			
Less than \$15,000	26	38.6	24.8, 52.3
\$15,000-24,999	29	31.1	19.8, 42.4
\$25,000-49,999	20	14.9	8.3, 21.6
\$50,000-74,999	×	*	*
More than \$75,000	*	*	*

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

MEDICARE

<i>Medicare is a conformed for people 65 of certain disable certain disable between the second </i>	0 1		NUMBER WITH HEALTH CARE COVERAGE WHO HAVE MEDICARE
have Medicare?	· · ·	TOTAL	81
		GENDER	
coverage.	ho have health care	Female	60
00101020.		Male	21
	WEIGHTED	AGE	
	PERCENT	18-24	*
YES	26.3	25-44	9
NO	73.7	45-64	19
		65+	52
	WEIGHTED	ETHNICITY	
	FREQUENCY	Hispanic	9
YES	263,848	Non-Hispanic	72
NO	740,738	$RACE^{\dagger}$	
		Black	30
TOTAL IN SAMPLE	267	White	42
		RACE [†] /SEX	
		Black Female	22
		Black Male	8
		White Female	31
		White Male	13
		HOUSEHOLD TYPE	
		One adult, no children	35
		> 1 adult, no children	31
		One adult, child/ren	6
		> 1 adult, child/ren	9
		INCOME	
		Less than \$15,000	28
		\$15,000-24,999	16
		\$25,000-49,999	16
		\$50,000-74,999	6
		Mana than \$75,000	C

CARE COVERAGE WEIGHTED HAVE MEDICARE PERCENT 95% CI 81 26.3 20.2, 32.3 60 28 20.8, 35.1 21 12.7, 34.2 23.4 * * * 9 6.7 1.8, 11.5 19 25.4 14.1, 36.7 79.2, 100 52 92.7 9 25.1 8.7, 41.6 20, 33 72 26.5 20.6, 43.8 30 32.2 42 19.7 13.1, 26.4 22 31.5 19,44 8 33.5 10.2, 56.8 31 23.7 14.5, 32.8 13 18.7 7.6, 29.9 35 26, 48.5 37.2 31 35.9 24.4, 47.5 11.4, 56.7 6 34.1 3.5, 18.8 9 11.1 54, 90.1 28 72.1 16 47.2 25.9, 68.5 16 17.9 8.6, 27.2 1.2, 28.5 6 14.9

6

7.3

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

More than \$75,000

1, 13.7

TYPE OF HEALTH PLAN

What type of health care coverage do you use to pay for most of your medical care? Is coverage through: your employer, someone else's employer, a plan that you or some else buys on your own, Medicaid or Medical Assistance, the military, CHAMPUS, TriCare or the VA (or CHAMP-VA), the Indian Health Service (or the Alaska Native Health Service), some other source or none? (A)

For respondents who have health care coverage other than Medicare.

	WEIGHTED PERCENT
YOUR EMPLOYER	55.8
SOMEONE ELSE'S EMPLOYER	25.4
OTHER*	18.7

	WEIGHTED FREQUENCY
YOUR EMPLOYER	412,004
SOMEONE ELSE'S EMPLOYER	187,789
OTHER*	138,328
TOTAL IN SAMPLE	185

*Other includes a plan bought by self or other person, Medicaid or Medical Assistance, the military, CHAMPUS, TriCare or the VA (or CHAMP-VA), the Indian Health Service (or the Alaska Native Health Service), some other source or none.

	NUMBER WITH HEALTH CARE COVERAGE PAID FOR BY THEIR EMPLOYER OR SOMEONE ELSE'S EMPLOYER	WEIGHTED PERCENT	95% CI
TOTAL	151	81.3	74.5, 88
GENDER			
Female	106	80	71.7, 88.3
Male	45	83.2	71.7, 94.7
AGE			
18-24	6	70.1	42, 98.1
25-44	96	86.7	79.7, 93.8
45-64	48	77.4	64.8, 90
65+	*	×	*
ETHNICITY			
Hispanic	18	87.6	72.6, 100
Non-Hispanic	133	80	72.5, 87.5
RACE [†]			
Black	36	70.5	55.3, 85.6
White	102	88.5	82.1, 94.8
RACE [†] /SEX			
Black Female	27	64.4	46.9, 81.8
Black Male	9	81.4	54.7, 100
White Female	69	90	81.6, 98.4
White Male	33	82.7	70.6, 94.8
HOUSEHOLD TYPE			
One adult, no children	44	84.1	74.2, 94
> 1 adult, no children	43	84.1	73.5, 94.8
One adult, child/ren	9	70.8	42.8, 98.8
> 1 adult, child/ren	54	79.1	67.5, 90.6
INCOME			
Less than \$15,000	*	*	*
\$15,000-24,999	*	×	×
\$25,000-49,999	46	85.1	75.5, 94.7
\$50,000-74,999	36	95.1	88.1, 100
More than \$75,000	56	96.8	93.2, 100

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

PERSONAL DOCTOR OR HEALTH CARE PROVIDER

Do you have one person you think of as your personal doctor or health care provider? If "No," is there more than one or is there no person who you think of as your personal doctor or health care provider?

	WEIGHTED
	PERCENT
YES, ONLY ONE	67
YES, MORE THAN ONE	7.7
NO	25.3
	WEIGHTED
	WEIGHTED FREQUENCY
YES, ONLY ONE	
YES, ONLY ONE YES, MORE THAN ONE	FREQUENCY
	FREQUENCY 946,274

TOTAL IN SAMPLE

656

	WITH NO PERSONAL DOCTOR OR HEALTH CARE PROVIDER	WEIGHTED PERCENT	95% CI
TOTAL	126	25.3	20.7, 29.9
GENDER			
Female	74	21.5	16.7, 26.2
Male	52	30	21.7, 38.2
AGE			
18-24	20	51.2	34.1, 68.3
25-44	64	26.8	20.1, 33.6
45-64	32	17.4	10.9, 23.8
65+	10	12.3	3.5, 21.1
ETHNICITY			
Hispanic	26	33.9	22.1, 45.7
Non-Hispanic	100	23.2	18.3, 28.2
RACE [†]			
Black	45	25.1	17.5, 32.8
White	64	23.7	17.5, 29.9
RACE [†] /SEX			
Black Female	27	18.5	11.7, 25.3
Black Male	18	34.2	19.1, 49.3
White Female	36	22.1	14.9, 29.2
White Male	29	25.4	15.4, 35.4
HOUSEHOLD TYPE			
One adult, no children	31	16.2	10.5, 21.8
> 1 adult, no children	47	24.8	17.8, 31.7
One adult, child/ren	7	16.1	4.7, 27.5
> 1 adult, child/ren	41	31.8	22.7, 41
INCOME			
Less than \$15,000	25	42.6	28.7, 56.4
\$15,000-24,999	22	27	15.6, 38.5
\$25,000-49,999	29	23.7	14.4, 32.9
\$50,000-74,999	12	17	6.6, 27.5
More than \$75,000	19	18.1	9.6, 26.5
[†] Includes Hispanic and non 1	Jianania noroono		

NUMBER IN SAMPLE

[†]Includes Hispanic and non-Hispanic persons.

PREVENTED FROM SEEING DOCTOR DUE TO COST

Was there a time in the last 12 months when you needed to see a doctor, but could not because of the cost?

	WEIGHTED
	PERCENT
YES	15.6
NO	84.4
	WEIGHTED
	FREQUENCY
YES	219,093
NO	1,184,529
TOTAL IN SAMPLE	653

	NUMBER IN SAMPLE WHO HAD COST-RELATED BARRIERS TO HEALTH CARE IN PAST YEAR	WEIGHTED PERCENT	95% CI
TOTAL	91	15.6	11.9, 19.4
GENDER			
Female	65	18.3	13.7, 22.8
Male	26	12.3	6.1, 18.6
AGE			
18-24	9	14.3	4.7, 24
25-44	38	14.5	9.4, 19.7
45-64	32	21.2	12.2, 30.1
65+	11	9.9	3.7, 16.2
ETHNICITY			
Hispanic	23	28.2	17.1, 39.3
Non-Hispanic	68	12.6	8.9, 16.4
RACE [†]			
Black	38	17.3	10.7, 24
White	38	12	7.4, 16.5
RACE [†] /SEX			
Black Female	31	20.8	13.3, 28.3
Black Male	7	12.5	0.6, 24.5
White Female	21	11	6.1, 15.9
White Male	17	12.7	5, 20.4
HOUSEHOLD TYPE			
One adult, no children	26	12.1	7.5, 16.8
> 1 adult, no children	31	15.1	9.1, 21.2
One adult, child/ren	9	18.9	7.4, 30.3
> 1 adult, child/ren	24	17.5	10.3, 24.7
INCOME			
Less than \$15,000	23	27.2	15.1, 39.2
\$15,000-24,999	23	20.4	11.4, 29.4
\$25,000-49,999	22	15.1	8.6, 21.7
\$50,000-74,999	7	6.9	1.4, 12.3
More than \$75,000	6	5	0.8, 9.2
[†] Includes Hispanic and non-Hi	spanic persons.		

[†]Includes Hispanic and non-Hispanic persons.

PREVENTED FROM FILLING PRESCRIPTION DUE TO COST

Was there a time in the last 12 months when you needed to fill a prescription for medication, but could not because of the cost? (A)

	WEIGHTED PERCENT
YES	23.9
NO	76.1
	WEIGHTED FREQUENCY
YES	281,734
NO	897,000
TOTAL IN SAMPLE	299

	NUMBER IN SAMPLE WHO HAD COST-RELATED BARRIERS TO FILLING PRESCRIPTIONS IN PAST YEAR	WEIGHTED PERCENT	95% CI
TOTAL	64	23.9	17.5, 30.3
GENDER			
Female	51	27.5	20, 35.1
Male	13	18.1	6.8, 29.3
AGE			
18-24	*	*	*
25-44	20	16.3	7.9, 24.7
45-64	22	29.3	17.1, 41.5
65+	16	29.7	14.9, 44.4
ETHNICITY			
Hispanic	13	39.2	19.7, 58.7
Non-Hispanic	51	20.4	14.3, 26.5
RACE [†]			
Black	23	22	12.4, 31.6
White	32	23.5	14.2, 32.8
RACE [†] /SEX			
Black Female	20	29	16.4, 41.5
Black Male	*	*	*
White Female	23	24	13.8, 34.2
White Male	10	24.1	7.8, 40.5
HOUSEHOLD TYPE			
One adult, no children	20	19	10.3, 27.6
> 1 adult, no children	18	21.7	12.3, 31.2
One adult, child/ren	7	34.5	12.6, 56.4
> 1 adult, child/ren	18	26.6	14.5, 38.7
INCOME			
Less than \$15,000	17	45.3	25.3, 65.2
\$15,000-24,999	18	40.2	23.1, 57.2
\$25,000-49,999	16	22.7	10.8, 34.5
\$50,000-74,999	*	*	*
More than \$75,000	*	*	*

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

LAST ROUTINE CHECKUP

About how long has it been since you last visited a doctor for a routine checkup? (A routine checkup is a general physical exam, not an exam for a specific injury, illness or condition.)

	WEIGHTED
	PERCENT
< 1 year	74.1
1 - 2 YEARS	13.6
> 2 YEARS/NEVER	12.3
	WEIGHTED
	FREQUENCY
< 1 year	1,028,821
1 - 2 YEARS	188,550
> 2 YEARS/NEVER	171,320
TOTAL IN SAMPLE	650

		NUMBER IN SAMPLE WITH MORE THAN 2 YEARS SINCE LAST ROUTINE CHECKUP	WEIGHTED PERCENT	95% CI
	ΓΟΤΑL	78	12.3	9.2, 15.5
(GENDER			
	Female	41	10	6.8, 13.2
	Male	37	15.2	9.5, 21
	AGE			
	18-24	*	*	*
	25-44	39	13.6	9.1, 18.1
	45-64	28	13	7.5, 18.5
	65+	6	4.9	0.8, 9.1
]	ETHNICITY			
	Hispanic	14	14.8	7, 22.6
	Non-Hispanic	64	11.7	8.4, 15.1
]	RACE [†]			
	Black	14	7	2.8, 11.2
	White	52	15.4	10.6, 20.1
]	RACE [†] /SEX			
	Black Female	8	5.5	1.6, 9.5
	Black Male	6	9	0.5, 17.5
	White Female	26	12.6	7.7, 17.5
	White Male	27	18.7	10.5, 26.8
]	HOUSEHOLD TYPE			
	One adult, no children	25	12	7.2, 16.8
	> 1 adult, no children	28	13.2	7.8, 18.6
	One adult, child/ren	*	*	*
	> 1 adult, child/ren	21	11.8	6.6, 16.9
]	INCOME			
	Less than \$15,000	8	11.8	3.2, 20.3
	\$15,000-24,999	16	13.5	6.3, 20.6
	\$25,000-49,999	18	10.4	4.4, 16.5
	\$50,000-74,999	13	13.4	5.7, 21
	More than \$75,000	15	13.5	6.2, 20.7
-				

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

DENTAL COVERAGE

Do you have any kind of insurance coverage that pays for some or all of your routine dental care, including dental insurance, prepaid plans such as HMOs, or government plans such as Medicaid? (A)

	WEIGHTED PERCENT
YES	55.7
NO	44.3
	WEIGHTED
	FREQUENCY
YES	653,479
NO	519,872
TOTAL IN SAMPLE	297

	NUMBER IN SAMPLE WITHOUT DENTAL COVERAGE	WEIGHTED PERCENT	95% CI
TOTAL	128	44.3	37.2, 51.4
GENDER			
Female	90	42.4	34.6, 50.2
Male	38	47.4	34.1, 60.8
AGE			
18-24	7	46.8	19.3, 74.3
25-44	37	33.8	23.2, 44.3
45-64	45	45.2	33.1, 57.3
65+	39	75.8	62.2, 89.4
ETHNICITY			
Hispanic	20	48.5	29.4, 67.5
Non-Hispanic	108	43.4	35.9, 50.8
RACE [†]			
Black	48	56.1	44.1, 68
White	73	40.4	31.1, 49.7
RACE [†] \SEX			
Black Female	35	49.4	36.3, 62.5
Black Male	13	67.9	46, 89.8
White Female	48	40.1	29.4, 50.7
White Male	25	37.6	21.7, 53.4
HOUSEHOLD TYPE			
One adult, no children	42	40.5	29.5, 51.4
> 1 adult, no children	41	43.8	32.6, 55
One adult, child/ren	8	41.4	17.8, 64.9
> 1 adult, child/ren	37	46.9	34.1, 59.7
INCOME			
Less than \$15,000	32	80.3	67, 93.6
\$15,000-24,999	32	72.7	57.3, 88.2
\$25,000-49,999	23	30.9	18.5, 43.3
\$50,000-74,999	9	27	6.8, 47.2
More than \$75,000	17	20.1	9.8, 30.4

[†]Includes Hispanic and non-Hispanic persons.

PREVENTED FROM SEEING DENTIST DUE TO COST

Was there a time in the last 12 months when you needed to see a dentist, but could not because of the cost? (A)

	WEIGHTED PERCENT
YES	27.8
NO	72.2
	WEIGHTED FREQUENCY
YES	327,164
NO	851,570
TOTAL IN SAMPLE	299

	NUMBER IN SAMPLE WITH COST-RELATED BARRIERS TO DENTAL CARE IN PAST YEAR	WEIGHTED PERCENT	95% CI
TOTAL	73	27.8	21.2, 34.3
GENDER			
Female	55	29.9	22.2, 37.5
Male	18	24.4	12.6, 36.2
AGE			
18-24	*	*	*
25-44	25	24.6	15, 34.2
45-64	29	33.1	21, 45.1
65+	13	28.8	12.9, 44.8
ETHNICITY			
Hispanic	17	51.6	32.7, 70.6
Non-Hispanic	56	22.3	16.2, 28.4
RACE [†]			
Black	32	32.5	21.3, 43.7
White	33	23.3	14.4, 32.2
RACE [†] \SEX			
Black Female	25	35.7	22.8, 48.7
Black Male	7	26.7	6.6, 46.8
White Female	24	24.5	14.4, 34.5
White Male	10	21.9	6.8, 37
HOUSEHOLD TYPE			
One adult, no children	18	19	10, 28
> 1 adult, no children	20	20.4	11.6, 29.3
One adult, child/ren	9	50.5	26.9, 74
> 1 adult, child/ren	25	35.6	23.1, 48.1
INCOME			
Less than \$15,000	22	57.1	38.6, 75.7
\$15,000-24,999	20	45.8	28.3, 63.3
\$25,000-49,999	18	27.3	15.5, 39.1
\$50,000-74,999	6	11.7	1.6, 21.7
More than \$75,000	*	*	*

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

Office of Epidemiology Chicago Department of Public Health

HIGH BLOOD PRESSURE

Have you EVER been told by a doctor, nurse or other health professional that you have high blood pressure?

For female respondents who answered "Yes," was this only when you were pregnant?

	WEIGHTED PERCENT
YES [†]	24.1
NO	75.9
	WEIGHTED FREQUENCY
YES [†]	341,040
NO	1,071,872
TOTAL IN SAMPLE	657

TOTAL IN SAMPLE	05
[†] Includes women who had high blood pressure while pregnant.	

	NUMBER IN SAMPLE WITH HIGH BLOOD PRESSURE	WEIGHTED PERCENT	95% CI	
TOTAL	191	24.1	20.3, 28	
GENDER				
Female	136	27.1	22.4, 31.8	
Male	55	20.5	14.3, 26.6	
AGE				
18-24	*	*	*	
25-44	18	5.4	2.6, 8.2	
45-64	100	45.6	37, 54.3	
65+	70	57.7	46.9, 68.5	
ETHNICITY				
Hispanic	19	14.9	7.8, 21.9	
Non-Hispanic	172	26.3	21.9, 30.7	
RACE [†]				
Black	94	35	27.6, 42.5	
White	86	16.7	12.8, 20.7	
RACE [†] \SEX				
Black Female	71	36.4	28.4, 44.5	
Black Male	23	33.1	19.5, 46.8	
White Female	57	20.1	14.4, 25.8	
White Male	31	13.9	8.5, 19.3	
HOUSEHOLD TYPE				
One adult, no children	88	39.9	32.8, 47	
> 1 adult, no children	67	25.7	19.4, 32.1	
One adult, child/ren	12	23.3	11.3, 35.3	
> 1 adult, child/ren	24	14.1	8, 20.1	
INCOME				
Less than \$15,000	47	38	26.4, 49.5	
\$15,000-24,999	43	37.6	26.1, 49	
\$25,000-49,999	42	23.1	15.6, 30.6	
\$50,000-74,999	18	19.4	8.6, 30.2	
More than \$75,000	21	11.6	6.2, 17	

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

HIGH BLOOD PRESSURE MEDICATION

<i>Are you are curr medicine for you pressure?</i>	2 0		NUMBER WITH HIGH BLOOD PRESSURE TAKING MEDICATION	WEIGHTED PERCENT	95% CI
<i>For respondents wh</i>	no have been told	TOTAL	151	76.3	68.7, 83.9
they have high bloc		GENDER			
were not pregnant.		Female	110	78	69.3, 86.6
		Male	41	73.6	59.5, 87.8
	WEIGHTED	AGE			
	PERCENT	18-24	*	*	*
YES	76.3	25-44	7	43.4	16.8, 70.1
NO	23.7	45-64	74	69.7	58.2, 81.1
		65+	69	98.2	94.6, 100
	WEIGHTED	ETHNICITY			
	FREQUENCY	Hispanic	12	60	35.6, 84.4
YES	260,308	Non-Hispanic	139	78.5	70.6, 86.4
NO	80,731	RACE [†]			
	101	Black	78	80.9	70.9, 90.9
TOTAL IN SAMPLE	191	White	68	74.4	63.2, 85.5
		RACE [†] \SEX			
		Black Female	60	83.1	72.6, 93.6
		Black Male	18	77.5	58, 96.9
		White Female	46	75.7	61.1, 90.3
		White Male	22	64.9	45.9, 84
		HOUSEHOLD TYPE			
		One adult, no children	76	85.9	77.8, 94
		> 1 adult, no children	52	76.2	64.4, 88
		One adult, child/ren	6	51.2	22.2, 80.1
		> 1 adult, child/ren	17	67.6	46, 89.2
		INCOME			
		Less than \$15,000	43	91.3	82.1, 100
		\$15,000-24,999	32	75.7	60.8, 90.6
		\$25,000-49,999	32	69.4	52.3, 86.5
		\$50,000-74,999	12	62.5	31.6, 93.4
		More than \$75,000	13	61.2	37.1, 85.2

[†]Includes Hispanic and non-Hispanic persons. *Count, percent and 95% CI suppressed because count is 5 or less.

CHOLESTEROL CHECKED

Blood cholesterol is a fatty substance found in the blood. Have you EVER had your blood cholesterol checked? WEIGHTED PERCENT YES 68.6 NO 31.4 WEIGHTED FREQUENCY 950,273 YES 434,937 NO 644 TOTAL IN SAMPLE

	NUMBER IN SAMPLE WHO HAVE NEVER HAD THEIR CHOLESTEROL CHECKED	WEIGHTED PERCENT	95% CI
TOTAL	142	31.4	26.4, 36.4
GENDER			
Female	84	24.9	19.7, 30.1
Male	58	39.3	30.6, 48
AGE			
18-24	22	69.3	54.5, 84.2
25-44	87	38.6	31.3, 45.9
45-64	24	16.4	9.3, 23.5
65+	8	6.3	1.2, 11.3
ETHNICITY			
Hispanic	32	41.1	29, 53.2
Non-Hispanic	110	29.1	23.7, 34.5
RACE [†]			
Black	48	28.5	20.4, 36.6
White	70	30.7	23.7, 37.7
RACE [†] \SEX			
Black Female	30	22.7	14.8, 30.5
Black Male	18	36.4	21, 51.9
White Female	41	24.9	17.2, 32.5
White Male	30	36.5	25.5, 47.7
HOUSEHOLD TYPE			
One adult, no children	27	14.3	8.8, 19.8
> 1 adult, no children	50	29.2	21.7, 36.8
One adult, child/ren	10	24.8	11.3, 38.2
> 1 adult, child/ren	54	43.7	34.3, 53.2
INCOME			
Less than \$15,000	22	38.3	24.3, 52.4
\$15,000-24,999	25	31.3	19.8, 42.9
\$25,000-49,999	40	38.9	28.4, 49.4
\$50,000-74,999	14	18.8	7, 30.5
More than \$75,000	22	23.7	14.3, 33.1
+			

[†]Includes Hispanic and non-Hispanic persons.

HIGH CHOLESTEROL

Have you ever l doctor, nurse, c	2	HIGH
professional that your blood		TOTAL
cholesterol is h	igh?	GENDER
For respondents who have had their blood cholesterol checked.		Female
		Male
		AGE
	WEIGHTED	18-24
	PERCENT	25-44
YES	36.5	45-64
NO	63.5	65+
		ETHNICITY
	WEIGHTED	Hispanic
	FREQUENCY	Non-Hispanic
YES	345,841	RACE [†]
NO	600,982	Black
	100	White
TOTAL IN SAMPLE	499	RACE [†] \SEX
		Black Female
		Black Male
		White Female
		White Male
		HOUSEHOLD TYPE
		One adult, no children
		> 1 adult, no children
		One adult, child/ren
		> 1 adult, child/ren
		INCOME
		Less than \$15,000
		\$15,000-24,999
		\$25,000-49,999
		\$50,000-74,999

NUMBER WITH WEIGHTED H CHOLESTEROL PERCENT 95% CI 187 36.5 31, 42 123 31 25.5, 36.5 64 44.9 34.4, 55.3 * * * 36 20.3 12.7, 27.9 45.5 35.8, 55.2 82 67 58.8 47.4, 70.1 22 36.4 22.3, 50.4 165 36.6 30.6, 42.5 70 40.8 31.4, 50.3 104 35.4 28.5, 42.3 47 28.8 20.7, 36.9 23 60.6 42.9, 78.2 34.3 26, 42.7 66 39 35.4 24.1, 46.7 80 42.3 34.5, 50 40.1 67 30.8, 49.5 14.5 3.4, 25.7 6 29.9 20, 39.7 34 33 49 35.5, 62.4 42.6 28.2, 56.9 30 33.2 22.6, 43.9 43 29 32.4 20.1, 44.6 More than \$75,000 29 22.9 14.5, 31.4

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

FLU SHOT AND MIST

TOTAL

GENDER Female

Male

25-44

AGE 18-24 NUMBER IN SAMPLE

who didn't have

506

341

165

37

240

A FLU SHOT IN WEIGHTED

79.5

80

78.9

91.2

86.6

PAST 12 MONTHS PERCENT

A flu shot is an influenza vaccine injected in your arm. During the past 12 months, have you had a flu shot?

	WEIGHTED PERCENT
YES	20.5
NO	79.5
	WEIGHTED
	FREQUENCY
YES	288,531
NO	1,120,343
TOTAL IN SAMPLE	654

	WEIGHTED	45-64	166	78.3	71.7, 85
	FREQUENCY				
YES	288,531	65+	61	51.4	40.3, 62.4
No	1,120,343	ETHNICITY			
		Hispanic	71	80.4	71.6, 89.1
TOTAL IN SAMPLE	654	Non-Hispanic	435	79.3	75.3, 83.4
		RACE [†]			
		Black	176	76.2	69.5, 82.9
		White	282	83.6	79.4, 87.8
During the past		RACE [†] \SEX			
-	flu vaccine that	Black Female	135	78.4	71.2, 85.6
was sprayed in	-	Black Male	41	73.3	60.7, 85.9
The flu vaccine	1 5	White Female	174	83.5	78.4, 88.6
<i>in the nose is also called</i> <i>FluMist</i> ™.		White Male	112	84.3	77.8, 90.8
		HOUSEHOLD TYPE			
WEIGHTED		One adult, no children	157	70.1	63.2, 77.1
		> 1 adult, no children	175	80.4	74.8, 85.9
	PERCENT	One adult, child/ren	39	84.6	73.7, 95.5
YES	1.2	> 1 adult, child/ren	133	82.6	75.6, 89.6
No	98.8	INCOME			
	WEIGHTED	Less than \$15,000	67	77.1	67.8, 86.4
	FREQUENCY	\$15,000-24,999	72	73.4	62.6, 84.1
YES	16,195	\$25,000-49,999	120	80	72.6, 87.2
No	1,391,230	\$50,000-74,999	81	86.5	77.9, 95.1
	1,001,200	More than \$75,000	107	80.1	72.2, 88
TOTAL IN SAMPLE	656	[†] Includes Hispanic and non-Hispan	ic persons.		

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

95% CI

75.8, 83.2

75.7, 84.3

72.6, 85.2

82.5, 99.9

81.7, 91.5

PNEUMONIA VACCINE

A pneumonia si pneumococcal v usually given or			NUMBER IN SAMPLE WHO DIDN'T HAVE A PNEUMONIA VACCINE	WEIGHTED PERCENT	95% CI
in a person's lif	2	TOTAL	452	80.1	76.2, 83.9
1 2	he flu shot. Have	GENDER			
you ever had a	5	Female	303	79.2	74.9, 83.5
shot?	priodifionid	Male	149	81.2	74.4, 87.9
51101.		AGE			
	WEIGHTED	18-24	22	72.3	54.7, 90
	PERCENT	25-44	212	89.8	85.6, 94
YES	19.9	45-64	166	85.2	80, 90.4
No	80.1	65+	51	51.2	40.1, 62.4
	0011	ETHNICITY			
	WEIGHTED	Hispanic	67	85.4	77.4, 93.4
	FREQUENCY	Non-Hispanic	385	78.8	74.5, 83.1
YES	250,093	RACE [†]			
NO	1,003,890	Black	169	82.5	77, 88.1
	50.4	White	244	80.7	75.5, 85.6
TOTAL IN SAMPLE	594	RACE [†] \SEX			
		Black Female	125	78.4	71.7, 85.1
		Black Male	44	88.4	79.3, 97.5
		White Female	151	81.4	75.7, 87
		White Male	96	79.5	70.5, 88.4
		HOUSEHOLD TYPE			
		One adult, no children	131	68.3	61.2, 75.3
		> 1 adult, no children	162	80.7	74.8, 86.7
		One adult, child/ren	36	79.2	66.8, 91.5
		> 1 adult, child/ren	122	85.3	78.4, 92.2
		INCOME			
		Less than \$15,000	61	79.9	70.4, 89.3
		\$15,000-24,999	69	73.3	62.5, 84.2
		\$25,000-49,999	105	76	67.5, 84.5
		\$50,000-74,999	65	85.6	77.8, 93.5
		More than \$75,000	100	89.3	83.2, 95.5
		+			

[†]Includes Hispanic and non-Hispanic persons.

OSTEOPOROSIS PREVENTION

Have you ever b doctor, nurse of professional ho	r other health w to prevent		NUMBER IN SAMPLE WHO HAVE NOT BEEN TOLD HOW TO PREVENT OSTEOPOROSIS	WEIGHTED PERCENT	95% CI
osteoporois? (B)	TOTAL	146	70.6	63.8, 77.4
For female respond	lents only.	AGE			
		18-24	12	81.5	60.8, 100
	WEIGHTED	25-44	56	70.8	60.3, 81.3
	PERCENT	45-64	48	65.2	52.8, 77.6
YES	29.4	65+	29	70	54.8, 85.2
NO	70.6	ETHNICITY			
		Hispanic	19	60.7	41.8, 79.5
	WEIGHTED FREQUENCY	Non-Hispanic	127	72.8	65.8, 79.8
	-	$RACE^{\dagger}$			
YES	228,563	Black	78	81.8	73.8, 89.8
NO	548,700	White	53	56.4	44.4, 68.4
TOTAL IN SAMPLE	220	HOUSEHOLD TYPE			
		One adult, no children	41	53	41.1, 65
		> 1 adult, no children	48	68.5	56.9, 80
		One adult, child/ren	20	77.7	60.2, 95.2
		> 1 adult, child/ren	37	85.3	74.4, 96.2
		INCOME			
		Less than \$15,000	29	87	75.3, 98.7
		\$15,000-24,999	28	61.8	44.1, 79.5
		\$25,000-49,999	32	78.9	66.8, 90.9
		\$50,000-74,999	19	70	50.9, 88.5
		More than \$75,000	19	60.6	42.3, 78.9
		[†] Includes Hispanic and non-I	Hispanic persons		

[†]Includes Hispanic and non-Hispanic persons.

OSTEOPOROSIS SCREENING

Have you ever b osteoporosis scr may have includ	reening which led a scan of		NUMBER IN SAMPLE WHO HAVE NOT HAD OSTEOPOROSIS SCREENING	WEIGHTED PERCENT	95% CI
your foot, hand	or entire body?	TOTAL	164	79.6	74, 85.1
(B)		AGE			
For female respond	ents only.	18-24	16	98	94, 100
		25-44	77	90.8	84.3, 97.2
	WEIGHTED	45-64	45	69	57.7, 80.4
	PERCENT	65+	25	52.5	35.6, 69.3
YES	20.4	ETHNICITY			
NO	79.6	Hispanic	30	87	75.4, 98.6
		Non-Hispanic	134	77.6	71.3, 84
	WEIGHTED FREQUENCY	$RACE^{\dagger}$			
YES	161,332	Black	74	80.6	72.3, 88.9
		White	73	79	70.8, 87.3
NO	628,438	HOUSEHOLD TYPE			
TOTAL IN SAMPLE	224	One adult, no children	45	59.5	48.1, 70.9
		> 1 adult, no children	57	80	70.2, 89.8
		One adult, child/ren	22	91.6	80.3, 100
		> 1 adult, child/ren	40	91.1	83.9, 98.3
		INCOME			
		Less than \$15,000	26	79.3	65.2, 93.4
		\$15,000-24,999	32	81.8	68.9, 94.6
		\$25,000-49,999	36	82.8	71.7, 94
		\$50,000-74,999	22	84.3	71.4, 97.2
		More than \$75,000	22	73.6	58.9, 88.3
		[†] Includes Hispanic and non-H	Hispanic persons.		

DIAGNOSED WITH OSTEOPOROSIS

Have you ever been told by a doctor, nurse or other health professional that you have osteoporosis? (B)

CROSS-TABULATION BY SELECTED DEMOGRAPHIC VARIABLES IS NOT POSSIBLE BECAUSE THERE ARE TOO FEW WOMEN DIAGNOSED WITH OSTEOPOROSIS.

For female respondents only.

	WEIGHTED PERCENT
YES	5.4
NO	94.6
	WEIGHTED FREQUENCY
YES	42,787
NO	750,197
TOTAL IN SAMPLE	224

CALCIUM SUPPLEMENTS

Do you routine <u>l</u> supplements or contain calcium For female respond	antacids that n? (B)		NUMBER IN SAMPL WHO DO NO ROUTINELY TAK CALCIUM SUPPLEMENT OR ANTACIDS WIT CALCIUM	T E S H WEIGHTED	95% CI
		TOTAL	118	59.4	52, 66.8
	WEIGHTED	AGE			
	PERCENT	18-24	14	88.7	73.6, 100
YES	40.6	25-44	53	66.8	56, 77.5
NO	59.4	45-64	30	45.4	32.1, 58.8
	WEIGHTED	65+	20	40.2	23.3, 57.1
	FREQUENCY	ETHNICITY			
YES	327,393	Hispanic	21	61.8	44.3, 79.2
NO	479,514	Non-Hispanic	97	58.8	50.6, 67
110	1757511	RACE			
TOTAL IN SAMPLE	225	Black	56	61.9	50.9, 73
		White	47	53.8	42.4, 65.2
		HOUSEHOLD TYPE			
		One adult, no children	33	43.4	31.7, 55.2
		> 1 adult, no children	36	53.5	40.9, 66.1
		One adult, child/ren	14	63.3	43, 83.6
		> 1 adult, child/ren	35	79.3	67.4, 91.1
		INCOME			
		Less than \$15,000	20	53.8	35.2, 72.4
		\$15,000-24,999	20	53.5	35.1, 71.8
		\$25,000-49,999	24	67	52.7, 81.3
		\$50,000-74,999	11	42.4	20.1, 64.6
		More than \$75,000	19	62.4	45, 79.7
		[†] Includes Hispanic and non-	Hispanic persons.		

CONSUMPTION OF CALCIUM RICH FOODS

Foods that are high in calcium include calcium-fortified juices, dark green vegetables, milk, yogurt, cheese, soymilk and tofu. Do you routinely eat or drink foods that are high in			NUMBER IN SAMPLE WHO ROUTINELY EAT OR DRINK FOODS HIGH IN CALCIUM	WEIGHTED PERCENT	95% CI
		TOTAL	191	86.5	81.4, 91.6
		AGE			
		18-24	16	94	82.4, 100
calcium? (B)	25-44	76	88.4	81.1, 95.7	
For female respond	ents only.	45-64	61	83.9	74.2, 93.5
		65+	37	79.7	64.7, 94.7
	WEIGHTED	ETHNICITY			
	PERCENT	Hispanic	32	95.3	88.6, 100
YES	86.5	Non-Hispanic	159	84.3	78.2, 90.4
NO	13.5	$RACE^{\dagger}$			
		Black	75	78.5	69.2, 87.8
WEIGHTED FREQUENCY		White	95	94	89.4, 98.6
		HOUSEHOLD TYPE			
YES	688,956	One adult, no children	63	82.1	73.1, 91.1
NO	107,391	> 1 adult, no children	64	85.3	76.1, 94.4
TOTAL IN SAMPLE	223	One adult, child/ren	21	83.5	68.1, 98.8
		> 1 adult, child/ren	42	92.1	84.4, 99.8
		INCOME			
		Less than \$15,000	23	71	53, 89
		\$15,000-24,999	34	84.7	73.5, 95.9
		\$25,000-49,999	44	87.3	75.7, 98.8
		\$50,000-74,999	28	95.8	89.9, 100
		More than \$75,000	32	94.8	88.7, 100
		[†] Includes Hispanic and non-I	Hispanic persons.		

FREQUENCY OF STRENGTH-BUILDING ACTIVITIES

How often to you building activitie lifting weights, u	es such as ising strength-		NUMBER IN SAMPLE WHO NEVER DO STRENGTH-BUILDING ACTIVITIES	WEIGHTED PERCENT	95% CI
training machine	U	TOTAL	144	60.1	52.4, 67.9
<i>push-ups and pull-ups? (B)</i>		AGE			
For female responde	ents only.	18-24	8	47.6	22.3, 72.9
		25-44	43	47.6	35.6, 59.6
	WEIGHTED	45-64	51	66	53, 79
	PERCENT	65+	41	89.2	79.8, 98.7
DAILY	3.9	ETHNICITY			
WEEKLY	31.4	Hispanic	24	73	56.8, 89.1
MONTHLY	4	Non-Hispanic	120	56.9	48.3, 65.6
YEARLY	*	$RACE^{\dagger}$			
NEVER	60.1	Black	71	63.5	51.8, 75.1
		White	64	61.2	49.6, 72.7
WEIGHTED		HOUSEHOLD TYPE			
	FREQUENCY	One adult, no children	54	70.8	60.5, 81.2
DAILY	31,143	> 1 adult, no children	48	62.7	50.3, 75.1
WEEKLY	253,527	One adult, child/ren	17	68.1	49, 87.1
MONTHLY	32,109	> 1 adult, child/ren	24	46.4	30.6, 62.2
YEARLY	*	INCOME			
NEVER	484,934	Less than \$15,000	28	78.6	62, 95.3
	00.5	\$15,000-24,999	28	61.3	43.3, 79.2
TOTAL IN SAMPLE	226	\$25,000-49,999	26	49.2	32.1, 66.3
*Count, percent and 95% because count is 5 or less	11	\$50,000-74,999	17	60.9	40, 81.7
		More than \$75,000	15	36.3	18.9, 53.6
		[†] Includes Hispanic and non-H	Iispanic persons.		

HEART ATTACK OR CORONARY HEART DISEASE

<i>Has a doctor, ne health professio told you that you attack, also call infarction?</i>	onal EVER	TOTAL GENDER	NUMBER IN SAMPLE WHO HAVE EVER HAD A HEART ATTACK 31		95% CI 2.6, 7.2
mjurcuom		Female	15	2.9	1.2, 4.7
		Male	16	7.3	2.6, 12
	WEIGHTED PERCENT	AGE			
YES	4.9	18-24	*	*	*
		25-44	*	×	*
NO	95.1	45-64	14	9.2	3.1, 15.3
	WEIGHTED	65+	17	15.8	6.4, 25.1
	FREQUENCY	ETHNICITY			
YES	69,264	Hispanic	*	*	*
NO	1,343,058	Non-Hispanic	27	4.5	2.2, 6.8
		$RACE^{\dagger}$			
TOTAL IN SAMPLE	656	Black	15	6.8	2.5, 11.1
		White	15	3.9	0.9, 6.9
		RACE [†] \SEX			
		Black Female	9	3.9	1.2, 6.6
Has a doctor, nurse or other		Black Male	6	10.8	1.5, 20.2
health professio		White Female	*	*	*
you that you ha		White Male	10	6.1	0.4, 11.7
coronary heart	0	HOUSEHOLD TYPE			
		One adult, no children	17	7.4	3.8, 11.1
	WEIGHTED	> 1 adult, no children	10	5.6	1.6, 9.6
	PERCENT	One adult, child/ren	*	*	*
YES	2.6	> 1 adult, child/ren	*	*	*
NO	97.4	INCOME			
110	27.1	Less than \$15,000	14	11.4	4.7, 18.1
	WEIGHTED	\$15,000-24,999	7	8.5	0.1, 16.9
	FREQUENCY	\$25,000-49,999	*	*	*
YES	37,114	\$50,000-74,999	*	*	*
NO	1,369,140	More than \$75,000	*	*	*
TOTAL IN SAMPLE	653	[†] Includes Hispanic and non-1 *Count, percent and 95% CI s	Hispanic persons. suppressed because count is 5 or	less.	

STROKE

Has a doctor, nurse or other health professional EVER told you that you had a stroke?

	WEIGHTED PERCENT	
YES	4.5	
NO	95.5	
	WEIGHTED FREQUENCY	
YES	62,784	
NO	1,346,617	
TOTAL IN SAMPLE	654	

	NUMBER IN SAMPLE WHO HAVE EVER HAD A STROKE	WEIGHTED PERCENT	95% CI
TOTAL	26	4.5	2.3, 6.6
GENDER			
Female	12	2.7	1, 4.4
Male	14	6.6	2.4, 10.9
AGE			
18-24	*	*	*
25-44	*	*	*
45-64	12	7.5	2.6, 12.3
65+	13	15.3	5.4, 25.2
ETHNICITY			
Hispanic	*	*	*
Non-Hispanic	25	5.2	2.6, 7.8
RACE [†]			
Black	15	7.7	3.1, 12.3
White	9	1.5	0.5, 2.5
RACE [†] \SEX			
Black Female	8	3.8	0.8, 6.7
Black Male	7	13.2	3.1, 23.3
White Female	*	*	*
White Male	6	1.8	0.3, 3.2
HOUSEHOLD TYPE			
One adult, no children	13	5.8	2.6, 9
> 1 adult, no children	11	6.2	2.4, 9.9
One adult, child/ren	*	*	*
> 1 adult, child/ren	*	*	*
INCOME			
Less than \$15,000	7	5.1	0.9, 9.4
\$15,000-24,999	11	13.7	4.5, 22.9
\$25,000-49,999	*	*	*
\$50,000-74,999	*	*	*
More than \$75,000	*	*	*

[†]Includes Hispanic and non-Hispanic persons

*Count, percent and 95% CI suppressed because count is 5 or less.

DIABETES

Have you ever been told by a doctor that you have diabetes?

For female respondents who answered "Yes," was this only when you were pregnant?

YES*	WEIGHTED PERCENT 10.5
NO	89.5 WEIGHTED FREQUENCY
YES	147,508
NO	1,258,308
TOTAL IN SAMPLE	653

*Does not include women who reported gestational diabetes.

	NUMBER IN SAMPLE WHO HAVE EVER HAD NON-GESTATIONAL DIABETES	WEIGHTED PERCENT	95% CI
TOTAL	72	10.5	7.2, 13.7
GENDER			
Female	52	10.1	7.1, 13.1
Male	20	11	4.8, 17.2
AGE			
18-24	*	*	*
25-44	8	2.9	0.6, 5.2
45-64	37	19.9	11.1, 28.8
65+	27	25	15.2, 34.8
ETHNICITY			
Hispanic	9	8.8	1.5, 16.2
Non-Hispanic	63	10.9	7.3, 14.5
RACE [†]			
Black	43	17.1	10.6, 23.6
White	25	6.1	2.7, 9.4
RACE[†]\SEX			
Black Female	33	15.3	9.8, 20.9
Black Male	10	19.6	6.3, 32.9
White Female	15	5.4	2.2, 8.7
White Male	10	6.5	0.6, 12.3
HOUSEHOLD TYPE			
One adult, no children	33	15.6	10.3, 20.9
> 1 adult, no children	22	12.6	6.3, 18.8
One adult, child/ren	8	16.7	5.7, 27.6
> 1 adult, child/ren	9	4.3	1.2, 7.5
INCOME			
Less than \$15,000	22	17.5	9.6, 25.4
\$15,000-24,999	14	13.1	5.2, 21
\$25,000-49,999	14	8.8	2.8, 14.8
\$50,000-74,999	*	*	*
More than \$75,000	6	3.2	0.3, 6.1

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

When was the last time you

had an eye exam in which the

DIABETES-RELATED TESTS

A calculated variable. "Once a

year" is defined as having had

About how often do you check your blood for glucose or sug che or f tim pro

sugar? Include times when checked by a family member or friend, but do NOT include		your feet checked by a health professional for any sores or irritations one time during		pupils were dilated? This would have made you temporarily sensitive to bright light.	
times when checked professional.	by a health	the past 12 mon than once a yea	<i>nr" is defined as</i>	For respondents wh diagnosed with dial	betes, not
For respondents who hav diagnosed with diabetes, gestational diabetes.		having had you by a health proj any sores or irr than one time a	fessional for itations more	gestational diabetes	S. WEIGHTED PERCENT
	WEIGHTED	12 months. "Ne	0 1	< 1 year	75
	PERCENT	as having had r	5	1 year or more	25
DAILY	69.9	during the past	12 months.		
WEEKLY/MONTHLY	11.7	For respondents w	ho have been		WEIGHTED
INFREQUENTLY/NEVER	18.4	diagnosed with dia gestational diabete		< 1 year	FREQUENCY 100,522
	WEIGHTED			1 year or more	33,574
	REQUENCY		WEIGHTED	TOTAL IN SAMPLE	65
DAILY	103,108		PERCENT		05
WEEKLY/MONTHLY	17,200	ONCE A YEAR	63.6		
INFREQUENTLY/NEVER	27,200	> ONCE A YEAR	17.2		
TOTAL IN SAMPLE	72	NEVER	19.3		
			WEIGHTED FREQUENCY		
		ONCE A YEAR	73,557		
		> ONCE A YEAR	19,855		
		NEVER	22,329		
		TOTAL IN SAMPLE	62		

DIABETES MANAGEMENT COURSE

<i>Have you EVER or class in how diabetes yourse</i>	to manage your		NUMBER OF DIABETICS WHO HAVE NEVER TAKEN A COURSE/CLASS ON DIABETES MANAGEMENT	WEIGHTED PERCENT	95% CI
For respondents w		TOTAL	34	41.2	25.2, 57.3
diagnosed with dia		GENDER			
gestational diabete	ëS.	Female	25	43.7	28.3, 59.2
	WELCHEED	Male	9	38.4	9.3, 67.5
WEIGHTED PERCENT		AGE			
YES*	58.8	18-24	*	*	×
NO	41.2	25-44	*	*	*
	45-64	17	41.2	15.9, 66.5	
WEIGHTED	WEIGHTED	65+	14	46.3	23, 69.5
FREQUENCY		ETHNICITY			
YES	86,669	Hispanic	*	*	*
NO	60,839	Non-Hispanic	30	39.1	22.8, 55.4
		$RACE^{\dagger}$			
TOTAL IN SAMPLE	72	Black	17	33.3	15.2, 51.4
*Does not include women who reported gestational diabetes.	nen who reported	White	17	70.1	46.1, 94
8		RACE [†] \SEX			
		Black Female	15	47.3	27.7, 66.9
		Black Male	*	*	*
		White Female	10	52	20.7, 83.2
		White Male	7	86.3	67, 100
		HOUSEHOLD TYPE			
		One adult, no children	16	42.5	24.2, 60.7
		> 1 adult, no children	10	40.8	14.3, 67.2
		One adult, child/ren	*	*	*
		> 1 adult, child/ren	6	47	9.9, 84.1
		INCOME			
		Less than \$15,000	10	43	20, 66
		\$15,000-24,999	6	27.5	1.6, 53.5
		\$25,000-49,999	7	54.7	18.9, 90.5
		\$50,000-74,999	*	*	*
		More than \$75,000	*	*	×
		[†] Includes Hispanic and non-H	Hispanic persons.		

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

EVER DIAGNOSED WITH ASTHMA

<i>Have you EVER</i> <i>doctor, nurse or</i>			NUMBER IN SAMPLE WHO EVER HAD ASTHMA	WEIGHTED PERCENT	95% CI
professional the	it you had	TOTAL	88	11.6	8.8, 14.3
asthma?		GENDER			
		Female	70	16.3	12.2, 20.5
	WEIGHTED	Male	18	5.7	2.7, 8.7
	PERCENT	AGE			
YES	11.6	18-24	6	11.3	1.7, 21
NO	88.4	25-44	38	12.1	8, 16.3
		45-64	30	13.1	7.9, 18.3
	WEIGHTED	65+	14	7.6	3.1, 12.2
	FREQUENCY	ETHNICITY			
YES	163,321	Hispanic	16	14	6.8, 21.2
NO	NO 1,249,591	Non-Hispanic	72	11	8.1, 13.9
TOTAL IN SAMPLE	657	RACE [†]			
	057	Black	32	10	6.2, 13.8
		White	46	12.2	8.1, 16.3
		RACE [†] \SEX			
		Black Female	28	14	8.6, 19.4
		Black Male	*	*	*
Do you still hav	e asthma?	White Female	36	19.4	12.4, 26.4
For respondents w	ho have been	White Male	12	5.5	2.1, 9
diagnosed with ast		HOUSEHOLD TYPE			
		One adult, no children	27	11.8	7.2, 16.4
	WEIGHTED	> 1 adult, no children	26	10.5	6.1, 14.9
	PERCENT	One adult, child/ren	12	26.2	13.2, 39.2
YES	66.9	> 1 adult, child/ren	23	11.2	6.4, 16
NO	33.1	INCOME			
		Less than \$15,000	21	15.4	8.1, 22.7
	WEIGHTED	\$15,000-24,999	19	15.6	8.2, 23
	FREQUENCY	\$25,000-49,999	14	8.8	3.2, 14.5
YES	105,974	\$50,000-74,999	10	10.4	3.6, 17.2
NO	52,452	More than \$75,000	16	11.7	5.3, 18.1
TOTAL IN SAMPLE	87	[†] Includes Hispanic and non-F *Count, percent and 95% CI s	Hispanic persons. uppressed because count is 5 or less.		

CURRENTLY HAVE ASTHMA

A calculated var is defined as res have ever been o	spondents who		NUMBER IN SAMPLE WHO CURRENTLY HAVE ASTHMA	WEIGHTED PERCENT	95% CI
with asthma AN	0	TOTAL	58	7.5	5.3, 9.7
asthma. No asth		GENDER			
as respondents	2	Female	51	11.9	8.2, 15.5
never been diag		Male	7	2.1	0.4, 3.9
	previously been	AGE			
diagnosed with		18-24	*	*	*
longer have astl		25-44	25	7.3	4.3, 10.3
0		45-64	19	8.9	4.3, 13.4
	WEIGHTED	65+	10	5.3	1.5, 9.2
	PERCENT	ETHNICITY			
ASTHMA	7.5	Hispanic	11	9.1	3.5, 14.6
NO ASTHMA	92.5	Non-Hispanic	47	7.1	4.7, 9.6
		RACE [†]			
	WEIGHTED	Black	23	7.2	3.9, 10.4
	FREQUENCY	White	28	7.4	4.1, 10.8
ASTHMA	105,974	RACE [†] \SEX			
NO ASTHMA	1,306,937	Black Female	21	10.7	5.9, 15.5
	657	Black Male	*	*	*
TOTAL IN SAMPLE	657	White Female	26	14	7.8, 20.2
		White Male	*	*	*
		HOUSEHOLD TYPE			
		One adult, no children	18	7.8	4, 11.6
		> 1 adult, no children	13	5.2	2, 8.5
		One adult, child/ren	10	22.1	9.8, 34.5
		> 1 adult, child/ren	17	8.7	4.4, 13
		INCOME			
		Less than \$15,000	17	13.3	6.4, 20.2
		\$15,000-24,999	12	10.2	4.1, 16.3
		\$25,000-49,999	11	6.3	1.5, 11.2
		\$50,000-74,999	*	*	*
		More than \$75,000	9	6.3	1.6, 10.9

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

ASTHMA MEDICATION

<i>Do you routinel</i> <i>prescription me</i> <i>prevent an asth</i>	edication to		NUMBER OF ASTHMATICS WHO ROUTINELY TAKE MEDICATION TO PREVENT AN ASTHMA ATTACK	WEIGHTED PERCENT	95% CI
For respondents w		TOTAL	37	47.6	33.5, 61.7
diagnosed with ast	thma.	GENDER			
		Female	33	35.4	35.4, 67.1
	WEIGHTED	Male	*	*	*
	PERCENT 47.6	AGE			
YES		18-24	*	*	*
NO	52.4	25-44	15	48.3	28.8, 67.7
	WEIGHTED	45-64	14	58.8	32.8, 84.7
	FREQUENCY	65+	6	34.6	6, 63.2
YES	58,415	ETHNICITY			
NO	64,203	Hispanic	*	*	*
		Non-Hispanic	33	51.9	35.7, 68.1
TOTAL IN SAMPLE	68	$RACE^{\dagger}$			
		Black	16	54.6	32.2, 77.1
		White	18	44.4	24, 64.8
		RACE [†] \SEX			
		Black Female	15	61	37.3, 84.6
		Black Male	*	*	*
		White Female	17	49.9	26.7, 73.1
		White Male	*	*	*
		HOUSEHOLD TYPE			
		One adult, no children	15	61.7	38.9, 84.6
		> 1 adult, no children	6	35.2	8.4, 62.1
		One adult, child/ren	*	*	*
		> 1 adult, child/ren	11	49.4	25.4, 73.5
		INCOME			
		Less than \$15,000	14	77.9	54.1, 100
		\$15,000-24,999	10	60.5	32.3, 88.7
		\$25,000-49,999	*	*	*
		\$50,000-74,999	*	*	*
		More than \$75,000	*	*	*

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

ASTHMA EMERGENCY ROOM VISITS

A calculated var "ER visit(s)" is a respondents wh diagnosed with have visited an	<i>lefined as</i> to were ever asthma and	TOTAL GENDER	number of asthmatics who didn't visit an er during past 12 months 56	PERCENT 84.2	95% CI 74.6, 93.8
room (ER) beca	use of their	Female	45	80.9	69.5, 92.3
	once during the	Male	11	100	100,
1	. "No ER visit(s)"	AGE	*	*	*
is defined as res	*	18-24			
who were ever a	6	25-44	25	82.3	68.3, 96.2
asthma and hav		45-64	17	81.2	60.5, 100
emergency room	, ,	65+	11	90.6	72.6, 100
of their asthma	during the past	ETHNICITY	4.4	045	02 6 400
12 months.		Hispanic	11	94.5	83.6, 100
		Non-Hispanic RACE [†]	45	81.5	69.9, 93.1
	WEIGHTED	Black	10	77 5	(0.0.04
	PERCENT	White	18 34	77.5 98.5	60.9, 94
ER VISIT(S)	15.8	RACE [†] \SEX	54	96.9	95.5, 100
NO ER VISIT(S)	84.2	Black Female	15	72.7	7.9, 46.6
	WEIGHTED	Black Male	*	/Z./ *	7.9, 40.0 *
	FREQUENCY	White Female	27	89.9	75.7, 100
ER VISIT(S)	19,367	White Male	7	100	100,
NO ER VISIT(S)	103,251	HOUSEHOLD TYPE	7	100	100,
		One adult, no children	19	82	64.8, 99.1
TOTAL IN SAMPLE	68	> 1 adult, no children	13	85	64.4, 100
		One adult, child/ren	7	66.2	34.9, 97.6
		> 1 adult, child/ren	, 17	89.6	77.1, 100
		INCOME	17	02.0	77.1, 100
		Less than \$15,000	13	79.2	58.7, 99.7
		\$15,000-24,999	9	60	32.3, 87.7
		\$25,000-49,999	12	100	100,
		\$50,000-74,999	6	100	100,
		ΨJ0,000 / Τ, JJJ	0	100	,

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

10

95.8

87.2, 100

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

More than \$75,000

SOUGHT TREATMENT FOR ASTHMA

A calculated variable. "Treatment" is defined as respondents who were ever diagnosed with asthma and saw a doctor, nurse or other health professional for treatment of worsening asthma symptoms at least once during the past 12 months. "No treatment" is defined as respondents who were ever diagnosed with asthma and never saw a doctor, nurse or other health professional for treatment of worsening asthma symptoms during the past 12 months

	WEIGHTED PERCENT	
TREATMENT	44.6	
NO TREATMENT	55.4	
	WEIGHTED	
	FREQUENCY	
TREATMENT	54,689	
NO TREATMENT	67,929	
TOTAL IN SAMPLE	68	

	NUMBER OF ASTHMATICS WHO SOUGHT TREATMENT FOR WORSENING SYMPTOMS	WEIGHTED PERCENT	95% CI
TOTAL	31	44.6	30.4, 58.8
GENDER			
Female	26	45.4	29.7, 61.2
Male	*	*	*
AGE			
18-24	*	*	*
25-44	14	44.9	25.6, 64.2
45-64	9	37.1	13, 61.2
65+	6	54.1	21.1, 87.2
ETHNICITY			
Hispanic	6	42.2	12.6, 71.9
Non-Hispanic	25	45.2	29.1, 61.3
$RACE^{\dagger}$			
Black	12	41.3	20.1, 62.6
White	13	40	18.6, 61.5
RACE [†] \SEX			
Black Female	11	44.9	21.8, 68
Black Male	*	*	*
White Female	12	45	21.4, 68.6
White Male	*	*	*
HOUSEHOLD TYPE			
One adult, no children	11	50.8	27.9, 73.6
> 1 adult, no children	6	52.1	22.7, 81.5
One adult, child/ren	7	71.6	42.9, 100
> 1 adult, child/ren	7	27.6	7.8, 47.5
INCOME			
Less than \$15,000	8	44.6	17.8, 71.4
\$15,000-24,999	8	53.4	25.4, 81.4
\$25,000-49,999	7	58.9	22, 95.8
\$50,000-74,999	*	*	*
More than \$75,000	*	*	×

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

INHALER USE

During the past 12 months, have you used a prescription inhaler to stop an asthma attack?

For respondents who have ever been diagnosed with asthma.

	WEIGHTED
	PERCENT
YES	48.1
NO	51.9
	WEIGHTED
	FREQUENCY
YES	58,998
NO	63,621
	C 0
TOTAL IN SAMPLE	68

	NUMBER OF ASTHMATICS		
	WHO USED A PRESCRIPTION	WEIGHTED	
	INHALER TO STOP ATTACK DURING PAST 12 MONTHS	WEIGHTED PERCENT	95% CI
TOTAL	39	48.1	34, 62.2
GENDER			
Female	34	49.7	34, 65.4
Male	*	*	*
AGE			
18-24	*	×	×
25-44	18	57.5	38, 76.9
45-64	14	55.4	29.5, 81.4
65+	6	36.2	6.7, 65.7
ETHNICITY			
Hispanic	7	55	24.1, 85.8
Non-Hispanic	32	46.3	30.6, 62
RACE [†]			
Black	17	57.2	34.6, 79.7
White	16	34.8	16.3, 53.2
RACE [†] \SEX			
Black Female	16	64	40.4, 87.6
Black Male	*	*	*
White Female	15	39.1	17.5, 60.6
White Male	*	40.8	0.9, 80.6
HOUSEHOLD TYPE			
One adult, no children	15	63.3	41.2, 85.4
> 1 adult, no children	8	46.7	17.4, 75.9
One adult, child/ren	9	91.9	76.1, 100
> 1 adult, child/ren	7	29.1	8.5, 49.8
INCOME			
Less than \$15,000	13	69	42.8, 95.2
\$15,000-24,999	10	65.4	38.6, 92.2
\$25,000-49,999	7	33.5	3.1, 63.9
\$50,000-74,999	*	*	*
More than \$75,000	6	52	16.3, 87.8

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

JOINT SYMPTOMS

During the past 30 days, have you had any symptoms of pain, aching or stiffness in or around a joint? (Please do NOT include the back or neck.)

	WEIGHTED PERCENT
YES	39.7
NO	60.3
	WEIGHTED FREQUENCY
YES	559,303
NO	848,343
TOTAL IN SAMPLE	655

	NUMBER IN SAMPLE WHO HAVE HAD JOINT SYMPTOMS DURING PAST MONTH	WEIGHTED PERCENT	95% CI
TOTAL	278	39.7	35, 44.5
GENDER			
Female	187	40.6	35.2, 46
Male	91	38.6	30.5, 46.8
AGE			
18-24	16	41.4	24.3, 58.5
25-44	69	23.4	17.7, 29.1
45-64	127	55.8	46.7, 64.8
65+	65	57	46.3, 67.8
ETHNICITY			
Hispanic	28	26.2	16.5, 35.9
Non-Hispanic	250	42.9	37.7, 48.2
RACE [†]			
Black	112	45.6	37.4, 53.8
White	140	35.7	29.6, 41.9
RACE [†] \SEX			
Black Female	86	47.6	39, 56.2
Black Male	26	42.8	27.3, 58.3
White Female	83	35	27.4, 42.5
White Male	60	38.2	28.3, 48.1
HOUSEHOLD TYPE			
One adult, no children	105	48.7	41.4, 56
> 1 adult, no children	98	40	32.5, 47.5
One adult, child/ren	20	39.5	25.1, 53.8
> 1 adult, child/ren	53	34.5	25.6, 43.4
INCOME			
Less than \$15,000	43	41	28.5, 53.5
\$15,000-24,999	44	43.6	31.7, 55.4
\$25,000-49,999	73	42.3	32.6, 52.1
\$50,000-74,999	39	40.6	27.9, 53.3
More than \$75,000	44	32.1	22.9, 41.4
[†] Includes Hispanic and non L	Jianania noroono		

[†]Includes Hispanic and non-Hispanic persons.

APPEARANCE OF JOINT SYMPTOMS

-	ymptoms FIRST n 3 months ago?		NUMBER WITH JOINT SYMPTOMS THAT FIRST BEGAN MORE THAN	WEIGHTED	
For respondents wi	ho have		3 MONTHS AGO	PERCENT	95% CI
experienced joint s	ymptoms.	TOTAL	236	82.9	77, 88.8
		GENDER			
	WEIGHTED	Female	160	84.3	78, 90.8
	PERCENT	Male	76	81	70.4, 81.7
YES	82.9	AGE			
NO	17.1	18-24	9	59.3	32.5, 86
		25-44	57	88.1	80.9, 95.3
	WEIGHTED FREQUENCY	45-64	110	83.3	74.5, 92
YES	463,763	65+	59	91	81.5, 100
NO	95,540	ETHNICITY			
NO	95,540	Hispanic	23	78.9	61.9, 95.9
TOTAL IN SAMPLE	278	Non-Hispanic	213	83.5	77.2, 89.8
		RACE [†]			
		Black	97	83	73.5, 92.5
		White	118	84.1	76.5, 91.8
		RACE [†] \SEX			
		Black Female	78	90.9	83.8, 98
		Black Male	19	70.7	49.7, 91.7
		White Female	69	82.2	71.7, 92.6
		White Male	52	87.3	76.9, 97.6
		HOUSEHOLD TYPE			
		One adult, no children	92	88.9	82.6, 95.2
		> 1 adult, no children	82	81.8	72.5, 91.1
		One adult, child/ren	16	79.1	60.3, 97.9
		> 1 adult, child/ren	44	80.6	67.6, 93.7
		INCOME			
		Less than \$15,000	38	80.9	64.5, 97.2
		\$15,000-24,999	38	89.1	77.3, 100
		\$25,000-49,999	62	85.2	75.2, 95.2
		\$50,000-74,999	34	86.5	72.2, 100
		More than \$75,000	35	78	63.4, 92.7
		[†] Includes Hispanic and non-I	Hispanic persons.		

[†]Includes Hispanic and non-Hispanic persons.

SEEN DOCTOR ABOUT JOINT SYMPTOMS

<i>Have you EVER</i> or other health <u>j</u> these joint symp	professional for		NUMBER WITH JOINT SYMPTOMS WHO DID NOT SEE A DOCTOR OR HEALTH PROFESSIONAL	WEIGHTED PERCENT	95% CI
For respondents wh	no have	TOTAL	67	31	23.7, 38.3
experienced joint sy	ymptoms for more	GENDER			
than 3 months.		Female	41	30.8	22.1, 39.5
		Male	26	31.2	18.7, 43.8
	WEIGHTED	AGE			
	PERCENT	18-24	*	*	*
YES	69	25-44	24	54.4	30.8, 60.4
NO	31	45-64	27	27.1	17.3, 36.9
	WEIGHTED	65+	11	16.5	5.3, 27.7
	FREQUENCY	ETHNICITY			
YES	319,998	Hispanic	8	36.1	14.1, 58.1
NO	143,766	Non-Hispanic	59	30.3	22.6, 38.1
		$RACE^{\dagger}$			
TOTAL IN SAMPLE	236	Black	23	22.9	13.3, 32.4
		White	38	39.2	28, 50.5
		RACE[†]\SEX			
		Black Female	19	29.4	17.4, 41.4
		Black Male	*	×	*
		White Female	20	37.8	23.3, 52.2
		White Male	19	41.9	25.1, 58.7
		HOUSEHOLD TYPE			
		One adult, no children	20	23.7	14.2, 33.3
		> 1 adult, no children	24	31.2	19.5, 43
		One adult, child/ren	*	*	*
		> 1 adult, child/ren	18	36.9	20.6, 53.3
		INCOME			
		Less than \$15,000	7	14.1	3.5, 24.7
		\$15,000-24,999	7	23.6	7, 40.2
		\$25,000-49,999	16	32.2	16.4, 47.9
		\$50,000-74,999	12	35.7	16.7, 54.7
		More than \$75,000	16	52.8	32.9, 72.6
		† 1 1 m · 1 m	T		

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

JOINT STATUS

A calculated variable. "Arthritis" is defined as respondents who have ever been told by a doctor or other health professional that they had arthritis. "Joint symptoms" is defined as respondents who have had any symptoms of pain, aching, or stiffness in or around a joint but have not be diagnosed by a doctor or other health professional with arthritis. "No *joint symptoms" is defined as* respondents who have neither been diagnosed with arthritis nor had any joint symptoms.

	WEIGHTED PERCENT
ARTHRITIS	22.2
JOINT SYMPTOMS	20.9
NO JOINT SYMPTOMS	56.9
	WEIGHTED FREQUENCY
ARTHRITIS	
ARTHRITIS JOINT SYMPTOMS	FREQUENCY

654

NO JOINT SYMPTOMS

	NUMBER IN SAMPLE WITH ARTHRITIS	WEIGHTED PERCENT	95% CI
TOTAL	181	22.2	18.5, 25.8
GENDER			
Female	138	28.2	23.4, 33
Male	43	14.8	9.5, 20
AGE			
18-24	*	*	*
25-44	24	7.3	4.2, 10.4
45-64	89	37.9	29.7, 46
65+	67	52.4	41.3, 63.5
ETHNICITY			
Hispanic	13	9.8	4.2, 15.4
Non-Hispanic	168	25.1	20.8, 29.3
RACE [†]			
Black	81	30	23, 37
White	89	17.4	13.4, 21.5
RACE [†] \SEX			
Black Female	71	39.2	30.9, 47.5
Black Male	10	17.1	6.1, 28.2
White Female	59	21.4	15.4, 27.4
White Male	31	13.8	8.4, 19.2
HOUSEHOLD TYPE			
One adult, no children	77	33	26.3, 39.7
> 1 adult, no children	70	25.9	19.7, 32.2
One adult, child/ren	12	24.7	12.1, 37.3
> 1 adult, child/ren	21	10.9	5.6, 16.3
INCOME			
Less than \$15,000	36	33.3	21.9, 44.8
\$15,000-24,999	32	26.5	16.5, 36.5
\$25,000-49,999	46	20.7	14.1, 27.3
\$50,000-74,999	15	15.2	5.9, 24.5
More than \$75,000	21	11.3	6, 16.6

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

LIMITATIONS DUE TO ARTHRITIS/JOINT SYMPTOMS

Are you now lim in any of your u because of arthr	sual activites		NUMBER WITH ARTHRITIS OR JOINT SYMPTOMS WHO HAVE ACTIVITY LIMITATIONS	WEIGHTED PERCENT	95% CI
symptoms?		TOTAL	89	28.9	22.7, 35.1
For respondents wh		GENDER			
symptoms during the		Female	66	33.9	26.2, 41.6
and/or have been d some form of arithi		Male	23	22	12.3, 31.7
some joint of antin	103.	AGE			
	WEIGHTED	18-24	*	*	*
	PERCENT	25-44	13	18.9	8.6, 29.2
YES	28.9	45-64	50	39.4	29.4, 49.4
NO	71.1	65+	24	29.1	16.9, 41.3
No	,	ETHNICITY			
	WEIGHTED	Hispanic	11	43	22.3, 63.7
	FREQUENCY	Non-Hispanic	78	27	20.6, 33.4
YES	155,454	$RACE^{\dagger}$			
NO	381,908	Black	40	30.5	20.7, 40.3
		White	42	26.3	18, 34.6
TOTAL IN SAMPLE	283	RACE [†] \SEX			
		Black Female	31	31.1	20.7, 41.4
		Black Male	9	29.5	9, 50
		White Female	31	37.3	25, 49.7
		White Male	12	13.7	5.4, 22
		HOUSEHOLD TYPE			
		One adult, no children	39	38.2	28.1, 48.3
		> 1 adult, no children	25	25.5	15.9, 35
		One adult, child/ren	8	42.4	19.3, 65.6
		> 1 adult, child/ren	17	25.3	12.5, 38.1
		INCOME			
		Less than \$15,000	25	57.1	40.5, 73.6
		\$15,000-24,999	19	30.8	15.7, 45.9
		\$25,000-49,999	13	15.3	5.9, 24.7
		\$50,000-74,999	8	21	7, 35.1
		More than \$75,000	11	22.3	7.4, 37.3
		+			

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

LOSING WEIGHT TO HELP ARTHRITIS/JOINT SYMPTOMS

Has a doctor of professional EV losing weight to	/ER suggested o help your		NUMBER WITH ARTHRITIS OR CHRONIC JOINT SYMPTOMS WHOSE DOCTOR SUGGESTED WEIGHT LOSS	WEIGHTED PERCENT	95% CI
arthritis or join	t symptoms? (A)	TOTAL	48	32.9	22.9, 42.9
For respondents w		GENDER			
symptoms began i		Female	39	40.5	28.8, 52.3
months ago and/o diagnosed with so		Male	9	20.9	4.2, 37.7
arithritis.		AGE			
		18-24	*	*	*
	WEIGHTED	25-44	10	23.9	8, 39.8
	PERCENT	45-64	26	42.6	27.4, 57.8
YES	32.9	65+	11	35.4	14.1, 56.8
NO	67.1	ETHNICITY			
		Hispanic	*	*	*
	WEIGHTED	Non-Hispanic	43	31.5	21.2, 41.7
	FREQUENCY	$RACE^{\dagger}$			
YES	151,430	Black	19	41.5	23.2, 59.7
NO	308,978	White	26	27.5	15.5, 39.4
	122	RACE [†] \SEX			
TOTAL IN SAMPLE		Black Female	17	49.2	30, 68.4
		Black Male	×	*	*
		White Female	19	31.6	16.8, 46.4
		White Male	7	18.6	1.7, 35.5
		HOUSEHOLD TYPE			
		One adult, no children	20	44.4	28.4, 60.3
		> 1 adult, no children	15	23.9	11.7, 36
		One adult, child/ren	*	*	*
		> 1 adult, child/ren	9	42.3	18.3, 66.3
		INCOME			
		Less than \$15,000	9	39.5	14.3, 64.7
		\$15,000-24,999	11	36.4	12.8, 60.1
		\$25,000-49,999	18	49.4	28.6, 70.1
		\$50,000-74,999	*	*	×
		More than \$75,000	*	*	*

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

EXERCISING TO HELP ARTHRITIS/JOINT SYMPTOMS

Has a doctor or professional EV physical activity	ER suggested or exercise		NUMBER WITH ARTHRITIS OR CHRONIC JOINT SYMPTOMS WHOSE DOCTOR SUGGESTED EXERCISE	WEIGHTED PERCENT	95% CI
<i>to help your arti symptoms? (A)</i>	nritis or joint	TOTAL	66	47.9	36.9, 58.9
-		GENDER			
For respondents wh		Female	52	54.5	42.3, 66.7
symptoms began m months ago and/or		Male	14	37.5	17.1, 57.9
diagnosed with sor		AGE			
arithritis.	5 5	18-24	*	*	*
		25-44	16	39	20.4, 57.6
	WEIGHTED	45-64	30	56.1	40.5, 71.6
	PERCENT	65+	19	50.9	29, 72.7
YES	66	ETHNICITY			
NO	56	Hispanic	*	*	*
		Non-Hispanic	62	50.2	38.5, 61.8
	WEIGHTED	RACE [†]			
	FREQUENCY	Black	20	46.3	27.7, 64.9
YES	220,482	White	41	50.4	35.4, 65.4
NO	239,926	RACE[†]\SEX			
TOTAL IN SAMPLE	122	Black Female	16	49.6	30.4, 68.8
TOTAL IN SAMPLE	122	Black Male	*	*	*
		White Female	32	59	41.1, 76.9
		White Male	9	32.9	8.9, 57
		HOUSEHOLD TYPE			
		One adult, no children	27	60.1	44.1, 76.1
		> 1 adult, no children	23	40.5	25.2, 55.8
		One adult, child/ren	×	×	*
		> 1 adult, child/ren	12	55.9	31.9, 79.9
		INCOME			
		Less than \$15,000	14	48.5	22.7, 74.3
		\$15,000-24,999	13	48.8	24.3, 73.4
		\$25,000-49,999	20	60.3	40.5, 80
		\$50,000-74,999	9	37.3	11.5, 63.2
		More than \$75,000	*	*	×

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

ARTHRITIS/JOINT SYMPTOMS MANAGEMENT COURSE

<i>Have you EVER</i> <i>education cours</i> <i>teach you how t</i>	e or class to o manage		NUMBER WITH ARTHRITIS OR CHRONIC JOINT SYMPTOMS WHO HAVE NOT TAKEN AN EDUCATION COURSE/CLASS		95% CI
<i>problems related to your arthritis or joint symptoms? (A)</i>		TOTAL GENDER	106	91.1	85.8, 96.4
For respondents wh	nose joint	Female	72	86.3	78.2, 94.4
symptoms began m		Male	34	98.6	95.9, 100
months ago and/or diagnosed with som		AGE			
arithritis.	lic joint of	18-24	*	*	*
		25-44	31	95.9	89.9, 100
	WEIGHTED	45-64	45	91.8	85.4, 98.2
	PERCENT	65+	26	81.5	65.5, 97.5
YES	8.9	ETHNICITY			
NO	91.1	Hispanic	9	93.7	81, 100
		Non-Hispanic	97	90.8	85.1, 96.5
WEIGHTED		RACE [†]			
	FREQUENCY	Black	37	96.5	92.3, 100
YES	40,961	White	63	95.4	91.6, 99.1
NO	419,446	RACE [†] \SEX			
TOTAL IN SAMPLE	122	Black Female	29	94.6	88.4, 100
		Black Male	8	100	100,
		White Female	39	87.1	73.8, 100
		White Male	25	97.8	93.2, 100
		HOUSEHOLD TYPE			
		One adult, no children	32	78.2	65.2, 91.2
		> 1 adult, no children	46	94.6	86.7, 100
		One adult, child/ren	6	66.7	34.8, 98.6
		> 1 adult, child/ren	21	96.7	90.3, 100
		INCOME			
		Less than \$15,000	19	94.4	86.4, 100
		\$15,000-24,999	20	86.2	69.6, 100
		\$25,000-49,999	30	91.8	83.7, 99.9
		\$50,000-74,999	16	97	91.1, 100
		More than \$75,000	13	88.4	72.6, 100
		[†] Includes Hispanic and non-H	lispanic persons.		

*Count, percent and 95% CI suppressed because count is 5 or less.

EVER TESTED FOR HIV

HIV? Do not co may have had donation. Inclu	as part of a blood ide test using		NUMBER IN SAMPLE WHO HAVE NEVER BEEN TESTED FOR HIV (OTHER THAN A BLOOD DONATION)	WEIGHTED PERCENT	95% CI
fluid from you	r mouth.	TOTAL	351	57.3	52.5, 62.2
For respondents l	ess than 65 years	GENDER			
old.		Female	233	55.3	49.7, 60.8
		Male	118	60	51.5, 68.4
	WEIGHTED	AGE			
	PERCENT	18-24	20	55.4	38.7, 72.2
YES	42.7	25-44	100	39.4	32.2, 46.6
NO	57.3	45-64	132	70.4	63.2, 77.7
		ETHNICITY			
	WEIGHTED	Hispanic	47	59.6	48, 71.1
	FREQUENCY	Non-Hispanic	304	56.8	51.4, 62.2
YES	578,613	$RACE^{\dagger}$			
NO	777,731	Black	115	55.2	46.8, 63.5
TOTAL IN SAMPLE	626	White	197	57.3	50.7, 64
	020	RACE [†] \SEX			
		Black Female	86	51.8	43.3, 60.4
		Black Male	29	60.1	43.9, 76.3
		White Female	122	58.4	50.3, 66.5
		White Male	77	56.8	46.3, 67.3
		MARITAL STATUS			
		Never married	93	53.6	44.2, 63.1
		Unmarried couple	15	47.5	26.1, 68.9
		Married	139	58.6	51.4, 65.9
		Divorced/separated	53	52	38.6, 65.3
		Widowed	48	83.9	72.2, 95.6
		INCOME			
		Less than \$15,000	55	69	57.5, 80.6
		\$15,000-24,999	58	66.9	56.4, 77.5
		\$25,000-49,999	89	55.2	45.3, 65.1
		\$50,000-74,999	40	48.7	35.4, 62
		More than \$75,000	65	47.9	37.9, 57.8
		† T	TT:		

[†]Includes Hispanic and non-Hispanic persons.

LOCATION OF HIV TEST

Where did you have your last HIV tests, at a private doctor or HMO office, at a counseling and testing site, at a hospital, at a clinic, in a jail or prison, at home or somewhere else?

For respondents less than 65 years old who have had an HIV test.

	WEIGHTED PERCENT
PRIVATE DOCTOR OR HMO OFFICE	38
BLOOD BANK	3.1
HEALTH DEPARTMENT	21.8
HOSPITAL	*
CLINIC	36.5
	WEIGHTED FREQUENCY
PRIVATE DOCTOR OR HMO OFFICE	217,048
BLOOD BANK	17,917
HEALTH DEPARTMENT	124,678
HOSPITAL	*
CLINIC	3,161
TOTAL IN SAMPLE	272
*Percent and 95% CI suppresis 5 or less.	ssed because count

RISK OF SEXUALLY TRANSMITTED DISEASE AND HIV/AIDS

<i>I'm going to rea</i> <i>When I'm done,</i> <i>if any of the situ</i>	please tell me ations apply to		NUMBER IN SAMPLE AT HIGHER RISK FOR CONTRACTING STDS OR HIV/AIDS	WEIGHTED PERCENT	95% CI
you. You do not	neea to tell me	TOTAL	25	5.2	2.7, 7.7
which one.		GENDER			
• You have used in the past year.	travenous drugs in	Female	12	3.3	1.2, 5.4
	eated for a sexually	Male	13	7.5	2.6, 12.4
transmitted or ve		AGE			
the past year.		18-24	*	*	*
	r received money or	25-44	16	7.2	3, 11.4
drugs in exchang past year.	e for sex in the	45-64	*	*	*
• You had anal sex	without a condom	ETHNICITY			
in the past year.		Hispanic	6	9.3	0.9, 17.7
Do any of these	situations	Non-Hispanic	19	4.2	1.9, 6.5
apply to you?		$RACE^{\dagger}$			
For respondents less than 65 years old.		Black	9	5.3	1.2, 9.5
		White	14	5.6	1.9, 9.3
		RACE [†] \SEX			
	WEIGHTED	Black Female	6	3.5	0.3, 6.7
	PERCENT	Black Male	*	*	*
YES	5.2	White Female	*	*	×
NO	94.8	White Male	9	7.6	1, 14.2
	5	MARITAL STATUS			
	WEIGHTED	Never married	12	6.2	1.7, 10.6
	FREQUENCY	Unmarried couple	*	*	*
YES	70,628	Married	*	*	*
NO	1,293,884	Divorced/separated	*	×	×
		Widowed	*	×	×
TOTAL IN SAMPLE	630	[†] Includes Hispanic and non- *Count, percent and 95% (Hispanic persons. CI suppressed because coun	t is 5 or less.	

SEXUALLY TRANSMITTED DISEASES

<i>In the past 5 ye been treated fo transmitted or disease?</i>	r a sexually		NUMBER IN SAMPLE WHO HAVE NOT BEEN TREATED FOR A SEXUALLY TRANSMITTED/ VENEREAL DISEASE	WEIGHTED PERCENT	95% CI
For respondents le old.	ess than 65 years	TOTAL GENDER	612	97	95.2, 98.7
010.		Female	414	97.5	95.7, 99.3
	WEIGHTED	Male	198	96.4	93.2, 99.6
	PERCENT	AGE			·
YES	3	18-24	38	91.7	81.9, 100
NO	97	25-44	259	97.6	95.9, 99.3
	27	45-64	206	97.8	95.5, 100
	WEIGHTED	ETHNICITY			
	FREQUENCY	Hispanic	85	99.2	97.5, 100
YES	41,042	Non-Hispanic	527	96.5	94.4, 98.6
NO	1,322,788	RACE [†]			
	(20)	Black	217	95.8	92.2, 99.5
TOTAL IN SAMPLE	630	White	332	98.1	96.6, 99.6
		RACE [†] \SEX			
		Black Female	165	96.6	93.4, 99.8
		Black Male	52	94.7	87.2, 100
		White Female	205	98.3	96.1, 100
		White Male	129	96.9	94.2, 99.6
		MARITAL STATUS			
		Never married	184	94.6	90.1, 99
		Unmarried couple	27	97.7	93.1, 100
		Married	238	98.3	96.4, 100
		Divorced/separated	104	98.6	96.5, 100
		Widowed	56	97	91.1, 100
		INCOME			
		Less than \$15,000	83	97.6	94.8, 100
		\$15,000-24,999	93	98	95.3, 100
		\$25,000-49,999	152	96.7	93.2, 100
		\$50,000-74,999	89	98.2	95.6, 100
		More than \$75,000	125	96.4	92.8, 100
		[†] Includes Hispanic and non-	Hispanic persons.		

HEPATITIS

Have you ever been told by a health care professional that you had hepatitis? For respondents less than 65 years

old.

WEIGHTED PERCENT
2.8
97.2

	WEIGHTED FREQUENCY
YES	38,221
NO	1,330,456
TOTAL IN SAMPLE	632

	NUMBER IN SAMPLE WHO HAVE NOT BEEN DIAGNOSED WITH HEPATITIS	WEIGHTED PERCENT	95% CI
TOTAL	616	97.2	95.3, 99.1
GENDER			
Female	418	98.3	97, 99.6
Male	198	95.9	92, 99.8
AGE			
18-24	42	100	100,
25-44	263	97	93.4, 100
45-64	202	95.4	92.1, 98.8
ETHNICITY			
Hispanic	83	97	93.9, 100
Non-Hispanic	533	97.3	95, 99.5
RACE [†]			
Black	216	95.3	91, 99.6
White	336	98.8	97.8, 99.9
RACE [†] \SEX			
Black Female	165	97.1	94.3, 99.8
Black Male	51	92.8	83.3, 100
White Female	209	99.4	98.6, 100
White Male	131	98.3	96.4, 100
MARITAL STATUS			
Never married	189	96.1	91.2, 100
Unmarried couple	29	100	100,
Married	238	98.6	97.1, 100
Divorced/separated	100	94.4	89.7, 99.2
Widowed	57	95.9	88.1 100
INCOME			
Less than \$15,000	84	98.3	95.7, 100
\$15,000-24,999	92	96.2	92.1, 100
\$25,000-49,999	153	97.6	95.1, 100
\$50,000-74,999	85	90.5	79.5, 100
More than \$75,000	130	100	100,
[†] Includes Hispanic and non H	lispanic persons		

[†]Includes Hispanic and non-Hispanic persons.

ALCOHOL CONSUMPTION

During the past 30 days, have you had at least one drink of any alcoholic beverage such as beer, wine, a malt beverage or liquor?

	WEIGHTED PERCENT
YES	55.5
NO	44.5
	WEIGHTED FREQUENCY
YES	782,642
NO	628,510
TOTAL IN SAMPLE	656

TOTAL 381 55.5 50.6,	60.3
GENDER	
Female 232 47.9 42.4,	53.4
Male 149 64.7 56.4,	73
AGE	
18-24 26 54.6 37.3,	71.9
25-44 176 63 56.1,	70
45-64 123 53.2 44.5,	62
65+ 54 38.2 27.6,	48.8
ETHNICITY	
Hispanic 42 50.9 39, 62	2.8
Non-Hispanic 339 56.5 51.2,	61.9
$RACE^{\dagger}$	
Black 100 43 34.8,	51.2
White 249 69.7 63.7,	75.7
RACE [†] \SEX	
Black Female 67 36.1 28, 4	4.1
Black Male 33 52.5 36.9,	68.1
White Female 146 63.4 55.7,	71.2
White Male 105 74.7 65.5,	83.9
HOUSEHOLD TYPE	
One adult, no children 137 60.6 53.4,	67.8
> 1 adult, no children 136 59.5 51.9,	67.1
One adult, child/ren 22 48.5 33.6,	63.4
> 1 adult, child/ren 84 48 38.8,	57.2
INCOME	
Less than \$15,000 36 42 28.6,	55.3
\$15,000-24,999 45 41.8 30.2,	53.4
\$25,000-49,999 92 53.9 43.9,	63.8
\$50,000-74,999 66 68.5 56.8,	80.3
More than \$75,000 107 78.2 69.7,	86.6

[†]Includes Hispanic and non-Hispanic persons.

FREQUENCY OF ALCOHOL CONSUMPTION

During the past 30 days, how many days per week or per month did you have at least one drink of any alcoholic beverage?

For respondents drank alcohol in the past 30 days.

	WEIGHTED
	PERCENT
NONE	1.5
1-3 days/month	41.9
1-7 days/week	56.6
	WEIGHTED
	11 DI GII I DD
	FREQUENCY
NONE	
NONE 1-3 days/month	FREQUENCY
	FREQUENCY 11,468

	ALCOHOL CONSUMERS WHO DRANK 1-7 DAYS PER WEEK	WEIGHTED PERCENT	95% CI
TOTAL	222	56.6	50, 63.1
GENDER			
Female	122	52	44.3, 59.7
Male	100	60.8	50.3, 71.2
AGE			
18-24	11	47	25.6, 68.4
25-44	109	60.6	51.8, 69.4
45-64	78	56.9	43.5, 70.3
65+	23	49	31.9, 66.2
ETHNICITY			
Hispanic	20	46.7	28.6, 64.8
Non-Hispanic	202	58.7	51.8, 65.6
RACE [†]			
Black	48	45.9	33, 58.7
White	161	64.2	56.4, 72.1
RACE [†] \SEX			
Black Female	29	36.8	24, 49.6
Black Male	19	54.4	32.7, 76
White Female	87	63.5	54.3, 72.8
White Male	75	65.1	52.8, 77.4
HOUSEHOLD TYPE			
One adult, no children	82	59.2	50.2, 68.2
> 1 adult, no children	86	61.5	51.1, 71.8
One adult, child/ren	9	39.7	18.1, 61.4
> 1 adult, child/ren	44	48.8	35.9, 61.6
INCOME			
Less than \$15,000	15	44.6	21.7, 67.4
\$15,000-24,999	22	49.1	31.7, 66.5
\$25,000-49,999	47	50.3	37.4, 63.2
\$50,000-74,999	44	67.8	53.5, 82.1
More than \$75,000	83	77.8	68.7, 86.8

[†]Includes Hispanic and non-Hispanic persons.

AVERAGE ALCOHOL CONSUMPTION

One drink is equivalent to a 12 ounce beer, a 5 ounce glass of wine or a drink with one shot of liquor. On the days when you drank, during the past 30 days, about how many drinks did you drink on the average?

For respondents who drank alcohol in the past 30 days

	WEIGHTED PERCENT
1-2 DRINKS	70.5
3 or more drinks	29.5
	WEIGHTED FREQUENCY
1-2 DRINKS	533,165
3 or more drinks	223,236
TOTAL IN SAMPLE	368

	ALCOHOL CONSUMERS WHO, ON THE DAYS THEY DRANK, DRANK AN AVERAGE OF 3 OR MORE DRINKS	WEIGHTED PERCENT	95% CI
TOTAL	107	29.5	23.5, 35.5
GENDER			
Female	52	25	18, 32
Male	55	33.5	23.9, 43.1
AGE			
18-24	*	*	*
25-44	65	38.6	29.5, 47.7
45-64	31	23.7	14.5, 32.8
65+	*	*	*
ETHNICITY			
Hispanic	18	44.3	26.1, 62.6
Non-Hispanic	89	26.2	20.4, 32.1
$RACE^{\dagger}$			
Black	18	16.9	7.6, 26.2
White	79	37.1	29, 45.1
RACE [†] \SEX			
Black Female	10	13.7	4.9, 22.5
Black Male	8	20	3.9, 36.1
White Female	36	31.2	21.3, 41.2
White Male	44	42.9	30.7, 55.1
HOUSEHOLD TYPE			
One adult, no children	43	36.6	27.5, 45.8
> 1 adult, no children	33	26.5	17.1, 35.9
One adult, child/ren	8	41.8	18.7, 64.9
> 1 adult, child/ren	22	28.3	16.5, 40.1
INCOME			
Less than \$15,000	11	47.6	23.5, 71.8
\$15,000-24,999	11	27.9	12.2, 43.7
\$25,000-49,999	24	25	13.9, 36.1
\$50,000-74,999	24	35.5	20.4, 50.7
More than \$75,000	30	29.3	19.3, 39.3

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

FREQUENCY OF DRINKING 5 OR MORE DRINKS

Considering all types of alcoholic beverages, how many times during the past 30 days did you have 5 or more drinks on an occasion?

For respondents who drank alcohol in the past 30 days.

	WEIGHTED
	PERCENT
NONE	69.1
1-2 TIMES	18.1
3 OR MORE TIMES	12.8
	WEIGHTED

	WLIGHTLD
	FREQUENCY
NONE	522,018
1-2 TIMES	136,734
3 or more times	96,530
TOTAL IN SAMPLE	369

	ALCOHOL CONSUMERS WHO HAD 5 OR MORE DRINKS ON AN OCCASION 3 OR MORE TIMES DURING PAST 30 DAYS	WEIGHTED PERCENT	95% CI
TOTAL	53	12.8	8.9, 16.7
GENDER			
Female	21	9	4.9, 13.2
Male	32	16.2	9.8, 22.7
AGE			
18-24	*	*	*
25-44	32	16.2	10, 22.4
45-64	18	13.2	6.3, 20.1
65+	*	*	*
ETHNICITY			
Hispanic	10	23	8.7, 37.4
Non-Hispanic	43	10.6	7.1, 14.1
RACE [†]			
Black	6	4.4	0.2, 8.5
White	43	17	11.4, 22.6
RACE [†] \SEX			
Black Female	*	*	*
Black Male	*	*	*
White Female	15	11.7	5.4, 18.1
White Male	28	21.4	12.5, 30.2
HOUSEHOLD TYPE			
One adult, no children	26	19.4	12.3, 26.4
> 1 adult, no children	14	9.4	4.4, 14.4
One adult, child/ren	*	*	*
> 1 adult, child/ren	10	14	5.1, 22.9
INCOME			
Less than \$15,000	*	*	*
\$15,000-24,999	*	*	*
\$25,000-49,999	10	8.8	2.8, 14.7
\$50,000-74,999	15	17.1	7.4, 26.9
More than \$75,000	17	17.1	8.4, 25.7

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

LARGEST NUMBER OF DRINKS CONSUMED

During the past 30 days, what is the largest number of drinks you had on any occasion?

For respondents who drank alcohol in the past 30 days.

	WEIGHTED PERCENT
1-2 DRINKS	42.6
3 or more drinks	57.4
	WEIGHTED FREQUENCY
1-2 DRINKS	317,009
3 or more drinks	427,921
TOTAL IN SAMPLE	0.65

	ALCOHOL CONSUMERS WHOSE LARGEST NUMBER OF DRINKS ON AN OCCASION WAS 3 OR MORE	WEIGHTED PERCENT	95% CI
TOTAL	191	57.4	50.9, 64
GENDER			
Female	94	46.4	38.5, 54.3
Male	97	67.4	57.2, 77.5
AGE			
18-24	17	72	52.8, 91.2
25-44	109	66.5	58.4, 74.6
45-64	49	39.9	27.8, 52
65+	14	35.5	17.5, 53.4
ETHNICITY			
Hispanic	28	68.5	51.8, 85.2
Non-Hispanic	163	55	47.9, 62
RACE [†]			
Black	35	42.8	29.1, 56.5
White	138	64.8	57.3, 72.3
RACE [†] \SEX			
Black Female	21	35	21.3, 48.7
Black Male	14	50.2	27.2, 73.1
White Female	65	53.9	44.1, 63.8
White Male	75	74.9	64.2, 85.6
HOUSEHOLD TYPE			
One adult, no children	66	53.9	44.9, 63
> 1 adult, no children	71	59.2	48.4, 70
One adult, child/ren	11	58.4	34.9, 81.9
> 1 adult, child/ren	42	57	44.4, 69.6
INCOME			
Less than \$15,000	16	60.8	39.8, 81.9
\$15,000-24,999	18	47.9	29.6, 66.2
\$25,000-49,999	40	48.4	35, 61.9
\$50,000-74,999	39	64.7	49.7, 79.8
More than \$75,000	64	68.3	58.8, 77.8

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

EVER SMOKED

Have you smoked at least 100 cigarettes in your entire life?

	WEIGHTED PERCENT
YES	43.8
NO	56.2
	WEIGHTED
	FREQUENCY
YES	615,570
NO	789,730
TOTAL IN SAMPLE	654

	NUMBER IN SAMPLE WHO EVER SMOKED	WEIGHTED PERCENT	95% CI
TOTAL	302	43.8	39, 48.6
GENDER			,
Female	182	39	33.6, 44.3
Male	120	49.8	41.2, 58.4
AGE			
18-24	12	25.6	11.7, 39.6
25-44	100	39.1	31.9, 46.2
45-64	120	50.1	41.2, 58.9
65+	69	62.2	52, 72.4
ETHNICITY			
Hispanic	26	35.4	23.1, 47.6
Non-Hispanic	276	45.8	40.5, 51.1
RACE [†]			
Black	116	45.5	37.4, 53.6
White	165	44.4	37.8, 51
RACE [†] \SEX			
Black Female	83	44.7	36.2, 53.2
Black Male	33	46.7	31.3, 62.1
White Female	89	38.5	30.9, 46.2
White Male	78	51.4	40.8, 62
HOUSEHOLD TYPE			
One adult, no children	108	49.3	42.1, 56.6
> 1 adult, no children	109	45.2	37.4, 53
One adult, child/ren	16	29.4	16.3, 42.5
> 1 adult, child/ren	68	40.8	31.8, 49.7
INCOME			
Less than \$15,000	48	52.2	39.2, 65.3
\$15,000-24,999	53	49.7	37.8, 61.6
\$25,000-49,999	67	36.4	27.4, 45.5
\$50,000-74,999	48	45.3	32.5, 58
More than \$75,000	54	40.3	30.5, 50.1

[†]Includes Hispanic and non-Hispanic persons.

SMOKING FREQUENCY

Do you now sm every day, some	U		NUMBER WHO S
all?		TOTAL	
<i>For respondents who have smoked 100 cigarettes in their entire life.</i>		GENDER	
		Female	
		Male	
	WEIGHTED	AGE	
	PERCENT	18-24	
EVERY DAY/	43.6	25-44	
SOME DAYS		45-64	
NOT AT ALL	56.4	65+	
	WEIGHTED	ETHNICITY	
	FREQUENCY	Hispanic	
EVERY DAY/		Non-Hispanic	
SOME DAYS	268,656	$RACE^{\dagger}$	
NOT AT ALL	346,914	Black	
		White	
TOTAL IN SAMPLE	302	RACE [†] \SEX	
		Black Female	
		Black Male	
		White Female	
		White Male	
		HOUSEHOLD TYPE	
		One adult, no children	
		> 1 adult, no children	
		One adult, child/ren	
		> 1 adult, child/ren	
		INCOME	
		Less than \$15,000	
		\$15,000-24,999	
		\$25,000-49,999	
		\$50,000-74,999	
		More than \$75,000	

STILL SMOKE PERCENT 95% CI 130 43.6 36.6, 50.7 76 45.6 37.1, 54.1 54 41.7 30.7, 52.8 8 75.4 52.3, 98.5 39.7, 64.1 58 51.9 53 45.5 34.9, 56.1 11 15.3 4.6, 26 17 57.2 33.7, 80.7 34.1, 48.3 113 41.2 51 40.3 29.6, 50.9 45.1 35.1, 55 69 45.6 33.3, 57.9 37 14 33.3 15.3, 51.3 34 44.3 31.7, 56.9 46.7 32, 61.4 36 47 45.9 35.6, 56.2 41 39.8 28.5, 51 9 67.4 44.8, 90 33 46.2 32.7, 59.6 25 54.8 35.4, 74.2 20 37.8 22.1, 53.6 30.7, 59.5 29 45.1 45.7 28.8, 62.6 23 20 38.6 23.1, 54.1

OF SMOKERS WEIGHTED

[†]Includes Hispanic and non-Hispanic persons.

95% CI

15.5, 22.8

13.6, 21.9 14.4, 27.1

6.4, 32.3 14.6, 25.9 16.4, 29.1 2.7, 16.3

10.1, 30.3 15, 22.7

12.8, 23.9 14.7, 25.4

13.8, 26.9 6.2, 24.9 10.8, 23.3 15.1, 32.9

16.6, 28.8 12, 23.9 7.9, 31.6 12.4, 25.3

16.5, 40.7 10.1, 27.5 9.9, 22.9 11.5, 29.9

8.1, 23

SMOKING STATUS

	alculated var rrent smoker			NUMBER IN SAMPLE WHO ARE CURRENT SMOKERS	WEIGHTED PERCENT
a respondent who reported		TOTAL	130	19.1	
smoking 100 cigarettes in		garettes in	GENDER		
<i>a lifetime and now smokes</i>		Female	76	17.8	
everyday or some days. A		Male	54	20.8	
former smoker reported		AGE			
smoking 100 cigarettes in a		18-24	8	19.3	
lifetime but currently does		25-44	58	20.3	
not smoke. A non-smoker is a		45-64	53	22.8	
respondent who reported never		65+	11	9.5	
having smoked 100 cigarettes in a lifetime.		ETHNICITY			
			Hispanic	17	20.2
			Non-Hispanic	113	18.9
WEIGHTED		RACE [†]			
		PERCENT	Black	51	18.3
	RRENT SMOKER	19.1	White	69	20
FOI	RMER SMOKER	24.7	RACE [†] \SEX		
NO	N-SMOKER	56.2	Black Female	37	20.4
WEIGHTED FREQUENCY		Black Male	14	15.5	
		White Female	34	17.1	
CU	RRENT SMOKER	268,656	White Male	36	24
		346,914	HOUSEHOLD TYPE		
		One adult, no children	47	22.7	
	789,730	> 1 adult, no children	41	18	
TO	TAL IN SAMPLE	654	One adult, child/ren	9	19.8
			> 1 adult, child/ren	33	18.8
			INCOME		
			Less than \$15,000	25	28.6
			\$15,000-24,999	20	18.8
			\$25,000-49,999	29	16.4
			\$50,000-74,999	23	20.7

[†]Includes Hispanic and non-Hispanic persons.

20

15.6

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

More than \$75,000

QUIT SMOKING

During the past 12 months, have you stopped smoking for one day or longer because you were trying to quit smoking? For respondents who smoke cigarettes

For respondents who smoke cigarettes every day or some days.

	WEIGHTED PERCENT
YES	58.1
NO	41.9
	WEIGHTED FREQUENCY
YES	156,043
NO	112,613
TOTAL IN SAMPLE	130

	NUMBER OF SMOKERS WHO HAVEN'T TRIED TO QUIT IN PAST YEAR	WEIGHTED PERCENT	95% CI
TOTAL	59	41.9	31.7, 52.2
GENDER			
Female	30	32.7	21.4, 44
Male	29	51.7	35, 68.4
AGE			
18-24	*	*	*
25-44	27	47	31.4, 62.5
45-64	27	47	32.2, 61.7
65+	*	*	*
ETHNICITY			
Hispanic	12	65.1	35.4, 94.8
Non-Hispanic	47	36	25.6, 46.4
RACE [†]			
Black	14	27.7	12.1, 43.3
White	39	50.3	35.1, 65.4
RACE [†] \SEX			
Black Female	9	21.1	7.5, 34.8
Black Male	*	*	*
White Female	18	43.6	24.1, 63.1
White Male	21	51.8	30.2, 73.4
HOUSEHOLD TYPE			
One adult, no children	24	50.1	34.6, 65.6
> 1 adult, no children	19	40.8	22.9, 58.7
One adult, child/ren	*	*	*
> 1 adult, child/ren	14	41.3	23.1, 59.4
INCOME			
Less than \$15,000	11	34.5	12.3, 56.7
\$15,000-24,999	6	21.1	3.6, 38.7
\$25,000-49,999	7	22	5.4, 38.7
\$50,000-74,999	13	49.3	25.6, 72.9
More than \$75,000	12	68.4	45.6, 91.3

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

BODY MASS INDEX (BMI)

A calculated varial on the following q About how much d	uestions:		NUMBER IN SAMPLE WHO ARE OBESE OR MORBIDLY OBESE		95% CI
wtihout shoes? Ab	5 0	TOTAL	187	29.9	25.3, 34.5
are you without sh		GENDER			
categorized accord		Female	139	32.2	26.9, 37.4
following guideling	0	Male	48	27.2	19.1, 35.2
Underweight	< 18.5	AGE			
Normal weight	< 18.5 18.5-24.9	18-24	11	24.4	10.5, 38.4
<i>Overweight</i>	25-29.9	25-44	66	28.3	21.2, 35.4
Obese	30-39.9	45-64	79	35.9	27.5, 44.2
Morbid Obesity	40+	65+	31	29.7	18.5, 40.9
<i>For example, a person</i>		ETHNICITY			
tall, weighing 210 pou		Hispanic	33	45.3	32.4, 58.1
of 28.5 and is conside	red overweight.	Non-Hispanic	154	26.9	22.1, 31.7
		$RACE^{\dagger}$			
V	WEIGHTED	Black	90	36.8	28.9, 44.7
	PERCENT	White	85	26.4	20.1, 32.7
UNDERWEIGHT	2.4	RACE [†] \SEX			
NORMAL WEIGHT	36.3	Black Female	77	43.2	34.7, 51.7
OVERWEIGHT	31.4	Black Male	13	28.2	13.9, 42.5
OBESE/	29.9	White Female	52	22.8	16.2, 29.4
MORBID OBESITY	20.0	White Male	34	30.3	19.7, 40.8
-		HOUSEHOLD TYPE			
	VEIGHTED REQUENCY	One adult, no children	57	24.3	18.2, 30.3
UNDERWEIGHT	32,296	> 1 adult, no children	56	26.2	18.9, 33.5
	491,365	One adult, child/ren	26	52.4	37.5, 67.3
		> 1 adult, child/ren	48	35.4	26.4, 44.5
OVERWEIGHT	424,250	INCOME			
obese/ Morbid obesity	404,559	Less than \$15,000	36	39.1	26.1, 52
MORDID ODESITI		\$15,000-24,999	32	29.7	18.4, 41
TOTAL IN SAMPLE	637	\$25,000-49,999	50	31.2	22, 40.4
		\$50,000-74,999	26	29.7	17.5, 41.9
		More than \$75,000	22	17.3	9.5, 25.2

 $^\dagger \mathrm{Includes}$ Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

LOSE WEIGHT

Are you now trying to lose weight? (B)

YES	WEIGHTED PERCENT 37.1
NO	62.9
	WEIGHTED FREQUENCY
YES	587,813
NO	994,943
TOTAL IN SAMPLE	353

	NUMBER IN SAMPLE WHO ARE TRYING TO LOSE WEIGHT	WEIGHTED PERCENT	95% CI
TOTAL	151	37.1	31.1, 43.2
GENDER			
Female	113	51.5	43.8, 59.1
Male	38	22	14.4, 29.6
AGE			
18-24	11	33.3	15, 51.6
25-44	55	36.1	26.8, 45.4
45-64	57	39.9	29.1, 50.7
65+	28	39.3	24.5, 54
ETHNICITY			
Hispanic	26	42	27.4, 56.6
Non-Hispanic	125	35.9	29.2, 42.6
RACE [†]			
Black	63	38.7	28.7, 48.7
White	74	38.3	29.5, 47
RACE [†] \SEX			
Black Female	57	58.8	47.8, 69.9
Black Male	6	12	2, 22.1
White Female	46	45.9	34.2, 57.6
White Male	29	31.7	19.7, 43.8
HOUSEHOLD TYPE			
One adult, no children	50	37.3	28, 46.5
> 1 adult, no children	56	34.5	25.5, 43.6
One adult, child/ren	15	62.6	43.8, 81.4
> 1 adult, child/ren	30	38.3	25.9, 50.8
INCOME			
Less than \$15,000	21	38	21.5, 54.4
\$15,000-24,999	22	26.8	13.9, 39.8
\$25,000-49,999	38	47.7	34, 61.3
\$50,000-74,999	19	34.2	17.9, 50.5
More than \$75,000	29	39.6	26.2, 52.9

[†]Includes Hispanic and non-Hispanic persons.

LOSING WEIGHT BY BMI STATUS

A calculated variable. "Underweight" is defined as a respondent who reported trying to lose weight and was *identified as underweight based* on their BMI. "Normal weight" is defined as a respondent who reported trying to lose weight and was identified as normal weight based on their BMI. "Overweight/obese" is defined as a respondent who reported trying to lose weight and was identified as overweight, obese or morbidly obese based on their BML

	WEIGHTED PERCENT
UNDERWEIGHT	*
NORMAL WEIGHT	21.4
OVERWEIGHT/OBESE	77
	WEIGHTED FREQUENCY
UNDERWEIGHT	*
NORMAL WEIGHT	61,240
OVERWEIGHT/OBESE	220,025
TOTAL IN SAMPLE	149
*Percent and 95% CI suppr is 5 or less.	essed because count

	NUMBER OF OVERWEIGHT, OBESE OR MORBIDLY OBESE WHO ARE TRYING TO LOSE WEIGHT	WEIGHTED PERCENT	95% CI
TOTAL	113	77	69, 85
GENDER			
Female	80	66.2	56.5, 75.9
Male	33	31.5	19.8, 43.1
AGE			
18-24	7	46.9	18.4, 75.3
25-44	38	45.6	31.3, 59.8
45-64	44	46.8	32, 61.6
65+	24	60	42, 78
ETHNICITY			
Hispanic	20	50.3	29.9, 706
Non-Hispanic	93	47.9	38.1, 57.7
RACE [†]			
Black	56	49.3	36.4, 62.2
White	49	49.1	35.5, 62.7
RACE [†] \SEX			
Black Female	50	70.1	58.4, 81.8
Black Male	6	18.6	3.1, 34.2
White Female	25	62.4	44.2, 80.5
White Male	24	41.6	24.1, 59
HOUSEHOLD TYPE			
One adult, no children	39	49.2	36.4, 62
> 1 adult, no children	41	43.5	30.1, 56.9
One adult, child/ren	14	71.5	52.3, 90.8
> 1 adult, child/ren	19	52.7	34.3, 71.1
INCOME			
Less than \$15,000	18	46.4	24.6, 68.2
\$15,000-24,999	16	42.1	21.6, 62.5
\$25,000-49,999	30	61.3	44.7, 78
\$50,000-74,999	14	44.6	80.1, 69.2
More than \$75,000	18	45	25, 65

[†]Includes Hispanic and non-Hispanic persons.

EATING FEWER CALORIES OR LESS FAT

Are you eating j less fat to lose v	fewer calories or veight? (B)		NUMBER OF DIETERS WHO ARE EATING FEWER CALORIES OR LESS FAT	WEIGHTED PERCENT	95% CI
	ho are trying to lose	TOTAL	120	81.7	74.3, 89.1
weight.		GENDER			
		Female	91	83	74.3, 91.7
	WEIGHTED PERCENT	Male	29	78.5	64.4, 92.7
YES	81.7	AGE			
NO	18.3	18-24	9	89	72.4,100
NO	10.5	25-44	42	77.1	64.6, 89.6
	WEIGHTED	45-64	46	87.6	78.9, 96.4
	FREQUENCY	65+	23	76.2	52.7, 99.8
YES	473,890	ETHNICITY			,
NO	106,167	Hispanic	21	80.8	64.6, 96.9
		Non-Hispanic	99	82	73.6, 90.3
TOTAL IN SAMPLE	148	RACE [†]			
		Black	55	87.1	76.3, 97.9
		White	56	78.2	67.2, 89.3
		RACE [†] \SEX			
		Black Female	49	85.1	72.8, 97.4
		Black Male	6	100	100,
		White Female	35	80.4	66.5, 94.4
		White Male	21	74.6	56.9, 92.2
		HOUSEHOLD TYPE			
		One adult, no children	41	84.7	74.1, 95.2
		> 1 adult, no children	44	79.1	66.5, 91.7
		One adult, child/ren	13	85.7	67, 100
		> 1 adult, child/ren	22	83.1	69.6, 96.5
		INCOME			
		Less than \$15,000	18	93.2	83.3, 100
		\$15,000-24,999	17	91.4	81, 100
		\$25,000-49,999	31	85	73.1, 96.9
		\$50,000-74,999	15	71.9	41.7, 100
		More than \$75,000	24	80.4	63.7, 97.1
		[†] Includes Hispanic and non-H	lispanic persons.		

[†]Includes Hispanic and non-Hispanic persons.

EATING FEWER CALORIES OR LESS FAT BY BMI STATUS

A calculated variable. "Underweight" is defined as a respondent who reported trying to lose weight by eating fewer calories or eating less fat and was identified as underweight based on their BMI. "Normal weight" is defined as a respondent who reported trying to lose weight by eating fewer calories or eating less fat and was identified as normal weight based on their BMI. "Overweight/obese" is defined as a respondent who reported trying to lose weight by eating fewer calories or eating less fat and was identified as overweight, obese or morbidly obese based on their BMI.

	WEIGHTED
	PERCENT
UNDERWEIGHT	*
NORMAL WEIGHT	18.1
OVERWEIGHT/OBESE	80.5
	WEIGHTED
	FREQUENCY
UNDERWEIGHT	*
NORMAL WEIGHT	41,846
OVERWEIGHT/OBESE	186,204
TOTAL IN SAMPLE	119
*Percent and 95% CI suppr is 5 or less.	essed because count

NUM	IBER OF OVERWEIGHT, OBESE OR MORBIDLY OBESE EATING FEWER CALORIES/LESS FAT	WEIGHTED PERCENT	95% CI
TOTAL	96	80.5	71.9, 89.1
GENDER			
Female	69	84.4	73.9, 94.8
Male	27	85.7	73.1, 98.3
AGE			
18-24	7	100	100,
25-44	31	81.7	68.1, 95.2
45-64	39	89.7	80.2, 99.3
65+	19	73.6	47.7, 99.4
ETHNICITY			,
Hispanic	17	86.9	71.8, 100
Non-Hispanic	79	84.2	74.7, 93.8
RACE [†]			
Black	50	87.1	75, 99.1
White	41	86.6	76.3, 96.8
RACE [†] \SEX			
Black Female	44	84.7	70.8, 98.7
Black Male	6	100	100, -
White Female	22	88.7	75, 100
White Male	19	84.7	69.8, 99.7
HOUSEHOLD TYPE			
One adult, no children	34	86.7	75.2, 98.3
> 1 adult, no children	35	84.1	70, 98.1
One adult, child/ren	13	91.4	75.1, 100
> 1 adult, child/ren	14	82.9	66.9, 98.8
INCOME			
Less than \$15,000	16	92.7	82.1, 100
\$15,000-24,999	14	93.3	83.6, 100
\$25,000-49,999	25	86.5	74, 98.9
\$50,000-74,999	11	65.3	28.3, 100
More than \$75,000	17	94.2	82.8, 100
[†] Includes Hispanic and non-Hispan	ic persons		

[†]Includes Hispanic and non-Hispanic persons.

ADVICE ABOUT WEIGHT

In the past 12 months, has a doctor, nurse or health professional given you advice about your weight? (B)

YES	WEIGHTED PERCENT 22.1
NO	77.9 WEIGHTED FREQUENCY
YES	348,313
NO	1,228,196
TOTAL IN SAMPLE	352

	NUMBER IN SAMPLE WHO HAVE BEEN GIVEN ADVICE ABOUT THEIR WEIGHT BY A HEALTH PROFESSIONAL	WEIGHTED PERCENT	95% CI
TOTAL	75	22.1	16.6, 27.6
GENDER			
Female	49	23.4	16.4, 30.4
Male	26	20.7	12, 29.4
AGE			
18-24	*	*	*
25-44	22	20.3	11.1, 29.6
45-64	36	27.5	17.9, 37.1
65+	12	27.2	12.4, 42.1
ETHNICITY			
Hispanic	12	19.9	8.5, 31.3
Non-Hispanic	63	22.7	16.4, 29
RACE [†]			
Black	39	28.7	18.7, 38.6
White	27	16	9.4, 22.6
RACE [†] \SEX			
Black Female	32	34.2	22.6, 45.8
Black Male	7	21.3	4.6, 38
White Female	11	10.7	3.6, 17.8
White Male	16	20.8	10, 31.5
HOUSEHOLD TYPE			
One adult, no children	23	21.4	12.8, 30
> 1 adult, no children	26	19.8	11.5, 28
One adult, child/ren	8	28.7	11, 46.5
> 1 adult, child/ren	18	25.8	14.3, 37.3
INCOME			
Less than \$15,000	11	22.4	8.8, 36.1
\$15,000-24,999	15	21.4	9.1, 33.7
\$25,000-49,999	18	22.4	11.2, 33.6
\$50,000-74,999	9	19.3	5.1, 33.5
More than \$75,000	9	14.3	4.1, 24.4

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

ADVISED ABOUT WEIGHT BY BMI STATUS

A calculated variable. "Underweight" is defined as a respondent who reported being given advice about their weight and was identified as underweight based on their BMI. "Normal weight" is defined as a respondent who reported being given advice about their weight and was identified as normal weight based on their BMI. "Overweight/obese" is defined as a respondent who reported being given advice about their weight and was identified as overweight, obese or morbidly obese based on their BMI.

WEIGHTED PERCENT
*
11.5
86.9
WEIGHTED REQUENCY
*
19,612
148,629
74 red because count

	NUMBER OFOVERWEIGHT, OBESE OR MORBIDLY OBESE ADVISED ABOUT THEIR WEIGHT	WEIGHTED PERCENT	95% CI
TOTAL	63	86.9	78.6, 95.3
GENDER			
Female	41	35.6	25, 46.3
Male	22	29.3	16.5, 42.2
AGE			
18-24	*	*	*
25-44	18	31.6	16.9, 46.3
45-64	32	35.2	21.8, 48.6
65+	9	36.3	15.9, 56.7
ETHNICITY			
Hispanic	11	28.2	11.3, 45
Non-Hispanic	52	33.6	24, 43.3
RACE [†]			
Black	36	38.4	25.6, 51.3
White	21	24.7	13.2, 36.1
RACE [†] \SEX			
Black Female	29	42.1	28, 56.2
Black Male	7	33	9.2, 56.7
White Female	8	19.9	4.6, 35.3
White Male	13	27.4	11.6, 43.2
HOUSEHOLD TYPE			
One adult, no children	21	31.4	19, 43.8
> 1 adult, no children	20	26.7	14.1, 39.3
One adult, child/ren	7	30.3	10.2, 50.3
> 1 adult, child/ren	15	44.9	26.5, 63.4
INCOME			
Less than \$15,000	9	26.5	8.6, 44.5
\$15,000-24,999	13	43.1	22, 64.1
\$25,000-49,999	14	27.3	11.9, 42.6
\$50,000-74,999	9	34.3	10.8, 57.9
More than \$75,000	8	26.1	7.4, 44.9

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

DRINKING FRUIT JUICE

How often do you drink fruit juices such as orange, grapefruit or tomato?

	WEIGHTED PERCENT
DAILY	42.7
LESS THAN DAILY	49.3
NEVER	8
	WEIGHTED
	WEIGHTED
	FREQUENCY
DAILY	
Daily Less than daily	FREQUENCY
27.121	FREQUENCY 594,027
LESS THAN DAILY	FREQUENCY 594,027 686,690

	NUMBER IN SAMPLE WHO DRINK FRUIT JUICE DAILY	WEIGHTED PERCENT	95% CI
TOTAL	260	42.7	37.7, 47.6
GENDER			
Female	165	39	33.5, 44.5
Male	95	47.2	38.6, 55.8
AGE			
18-24	24	58	41.2, 74.7
25-44	89	34.5	27.8, 41.3
45-64	72	38	28.9, 47.2
65+	75	61.5	50.4, 72.6
ETHNICITY			
Hispanic	30	34	23, 45
Non-Hispanic	230	44.7	39.3, 50.2
RACE [†]			
Black	91	44	35.6, 52.5
White	139	38.6	32.2, 45
RACE [†] \SEX			
Black Female	63	37.6	29.1, 46
Black Male	28	53.1	37.2, 69
White Female	86	39.8	31.8, 47.9
White Male	57	39.7	29.7, 49.8
HOUSEHOLD TYPE			
One adult, no children	87	41.3	34, 48.7
> 1 adult, no children	90	43.1	35.2, 51
One adult, child/ren	16	38	23, 53
> 1 adult, child/ren	67	43.6	34.3, 52.8
INCOME			
Less than \$15,000	37	35.7	23.8, 47.7
\$15,000-24,999	48	55	43.4, 66.7
\$25,000-49,999	65	44.7	34.7, 54.7
\$50,000-74,999	33	36.3	23.6, 48.9
More than \$75,000	44	34.9	25.3, 44.5

[†]Includes Hispanic and non-Hispanic persons.

EATING FRUIT

Not counting juice, how often do you eat fruit?

	WEIGHTED PERCENT
DAILY	41.1
LESS THAN DAILY	56.5
NEVER	2.4
	WEIGHTED FREQUENCY
DAILY	
Daily Less than daily	FREQUENCY
27.021	FREQUENCY 572,390

	NUMBER IN SAMPLE WHO EAT FRUIT DAILY	WEIGHTED PERCENT	95% CI
TOTAL	295	41.1	36.3, 45.9
GENDER			
Female	216	46.3	40.8, 51.9
Male	79	34.6	26.8, 42.5
AGE			
18-24	16	39.1	22.1, 56.2
25-44	109	37.8	31.1, 44.6
45-64	94	41.3	32.7, 50
65+	74	51.4	39.9, 62.8
ETHNICITY			
Hispanic	32	33.2	22.2, 44.2
Non-Hispanic	263	43	37.7, 48.2
RACE [†]			
Black	82	32.6	24.9, 40.2
White	177	46.1	39.5, 52.6
RACE [†] \SEX			
Black Female	65	36.6	28.1, 45.2
Black Male	17	26.9	13.4, 40.5
White Female	124	54.3	46.3, 62.3
White Male	54	36.8	27, 46.6
HOUSEHOLD TYPE			
One adult, no children	104	44.8	37.6, 52.1
> 1 adult, no children	102	38.8	31.5, 46.2
One adult, child/ren	20	45.8	30.6, 61.1
> 1 adult, child/ren	67	41.5	32.3, 50.7
INCOME			
Less than \$15,000	36	30.7	19.8, 41.7
\$15,000-24,999	49	46.8	34.9, 58.7
\$25,000-49,999	67	41.8	31.9, 51.8
\$50,000-74,999	39	31.7	20.5, 42.9
More than \$75,000	64	50.6	40.7, 60.5

[†]Includes Hispanic and non-Hispanic persons.

EATING SALAD

How often do you eat green salad?

	WEIGHTED PERCENT 21.6
LESS THAN DAILY	72.7
	5.7
NEVER	5.7
	WEIGHTED FREQUENCY
DAILY	
DAILY LESS THAN DAILY	FREQUENCY
27.1121	FREQUENCY 300,187

	NUMBER IN SAMPLE WHO EAT GREEN SALAD DAILY	WEIGHTED PERCENT	95% CI
TOTAL	158	21.6	17.8, 25.4
GENDER			
Female	114	22.7	18.3, 27.1
Male	44	20.2	13.7, 26.7
AGE			
18-24	9	19.4	6.6, 32.3
25-44	49	16	11.2, 20.7
45-64	58	25.6	18.2, 33.1
65+	41	32.4	21.8, 42.9
ETHNICITY			·
Hispanic	13	14.6	6.6, 22.7
Non-Hispanic	145	23.2	18.9, 27.5
RACE [†]			
Black	51	19.9	13.7, 26
White	91	22.1	17.1, 27
RACE [†] \SEX			
Black Female	40	21	14.3, 27.7
Black Male	11	18.3	6.8, 29.8
White Female	62	24.1	17.8, 30.4
White Female	29	19.1	11.7, 26.4
HOUSEHOLD TYPE			
One adult, no children	49	20.6	15, 26.2
> 1 adult, no children	65	24.3	18.1, 30.4
One adult, child/ren	13	27.3	13.9, 40.7
> 1 adult, child/ren	30	17.7	10.7, 24.6
INCOME			
Less than \$15,000	24	20.6	11.6, 29.7
\$15,000-24,999	22	25.1	13.7, 36.6
\$25,000-49,999	37	21	13.5, 28.5
\$50,000-74,999	22	19.5	10, 28.9
More than \$75,000		27.5	18.7, 36.3

[†]Includes Hispanic and non-Hispanic persons.

EATING POTATOES AND CARROTS

How often do you eat potatoes not including French fries, fried potatoes or potato chips? How often do you eat carrots?

potatoes or pota	ito chips?		WEIGHTED PERCENT
	WEIGHTED	DAILY	15.9
	PERCENT	LESS THAN DAILY	70.6
DAILY	2.9	NEVER	13.5
LESS THAN DAILY	87.2		
NEVER	9.8		WEIGHTED FREQUENCY
	WEIGHTED	DAILY	217,874
	FREQUENCY	LESS THAN DAILY	970,683
DAILY	40,758	NEVER	185,440
LESS THAN DAILY	1,207,135	TOTAL IN SAMPLE	636
NEVER	136,012		
TOTAL IN SAMPLE	642		

EATING VEGETABLES

How often do you eat other vegetables, not counting carrots, potatoes or salad?

	WEIGHTED PERCENT
DAILY	58.5
LESS THAN DAILY	39.2
NEVER	2.2
	WEIGHTED
	FREQUENCY
DAILY	FREQUENCY 809,785
DAILY LESS THAN DAILY	-
	809,785

	NUMBER IN SAMPLE WHO EAT VEGETABLES DAILY	WEIGHTED PERCENT	95% CI
TOTAL	411	58.5	53.5, 63.5
GENDER			
Female	293	64.1	58.5, 69.6
Male	118	51.8	43.2, 60.4
AGE			
18-24	25	60.2	43.7, 76.8
25-44	173	60.3	53, 67.6
45-64	129	54	44.8, 63.2
65+	83	59.9	48.6, 71.2
ETHNICITY			
Hispanic	36	41.6	29.5, 53.8
Non-Hispanic	375	62.5	57, 68
RACE [†]			
Black	133	51.3	42.9, 59.8
White	244	67.9	61.7, 74.1
RACE [†] \SEX			
Black Female	111	62	53.3, 70.7
Black Male	22	36.6	21.4, 51.8
White Female	157	70.2	62.7, 77.8
White Male	88	63.9	53.9, 73.9
HOUSEHOLD TYPE			
One adult, no children	142	63.6	56.3, 70.8
> 1 adult, no children	152	63.5	55.6, 71.5
One adult, child/ren	32	66.3	51.8, 80.8
> 1 adult, child/ren	83	48	38.7, 57.3
INCOME			
Less than \$15,000	45	46.4	32.7, 60.1
\$15,000-24,999	58	54.7	42.6, 66.8
\$25,000-49,999	106	64.1	54.6, 73.6
\$50,000-74,999	54	51.2	37.9, 64.5
More than \$75,000	99	73.1	64.1, 82.1

[†]Includes Hispanic and non-Hispanic persons.

ANY EXERCISE

During the past month, other than your regular job, did you participate in any physcial activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise?

	WEIGHTED PERCENT	
YES	70.7	
NO	29.3	
	WEIGHTED	
	FREQUENCY	
YES	998,339	
NO	414,573	
TOTAL IN SAMPLE	657	

	NUMBER IN SAMPLE WHO HAVE NO LEISURE TIME PHYSICAL ACTIVITY	WEIGHTED PERCENT	95% CI
TOTAL	188	29.3	24.9, 33.8
GENDER			
Female	134	30.6	25.5, 35.7
Male	54	27.8	20.1, 35.6
AGE			
18-24	9	23.8	8.7, 39
25-44	66	25.9	19.4, 32.4
45-64	65	32.8	24.5, 41
65+	48	38.3	27.5, 49
ETHNICITY			
Hispanic	32	40.3	28, 52.5
Non-Hispanic	156	26.8	22.2, 31.4
RACE [†]			
Black	90	31.1	24.2, 38
White	78	25.9	19.3, 32.4
RACE [†] \SEX			
Black Female	74	39.4	31, 47.7
Black Male	16	19.6	9.5, 29.7
White Female	48	22.7	15.9, 29.6
White Male	31	29.8	18.7, 40.9
HOUSEHOLD TYPE			
One adult, no children	61	27.3	20.9, 33.7
> 1 adult, no children	64	28.5	21.3, 35.7
One adult, child/ren	17	37.1	22.7, 51.5
> 1 adult, child/ren	46	30.7	22.3, 39.2
INCOME			
Less than \$15,000	43	46.4	33.2, 59.6
\$15,000-24,999	41	42.6	30.8, 54.5
\$25,000-49,999	48	30.8	21.5, 40
\$50,000-74,999	20	20.7	10.7, 30.7
More than \$75,000	12	9.9	3.5, 16.4

[†]Includes Hispanic and non-Hispanic persons.

ENOUGH EXERCISE

Do you think you get enough exercise?

	WEIGHTED
	PERCENT
YES	43.4
NO	56.6
	WEIGHTED
	FREQUENCY
YES	FREQUENCY 599,398
YES NO	
. 20	599,398

	NUMBER IN SAMPLE WHO THINK THEY DON'T GET ENOUGH EXERCISE	WEIGHTED PERCENT	95% CI
TOTAL	366	56.6	51.7, 61.5
GENDER			
Female	255	59.3	53.8, 64.8
Male	111	53.2	44.5, 61.8
AGE			
18-24	24	55	38, 72
25-44	154	57	49.8, 64.1
45-64	129	58.2	49.1, 67.3
65+	58	54	42.9, 65.2
ETHNICITY			
Hispanic	51	53.1	41, 65.2
Non-Hispanic	315	57.4	52, 62.7
RACE [†]			
Black	142	60.4	52, 68.9
White	194	55.5	49, 62.1
RACE [†] \SEX			
Black Female	57	68.1	60.4, 75.9
Black Male	24	49	32.3, 65.6
White Female	94	55.2	47.1, 63.3
White Male	66	55.4	45, 65.7
HOUSEHOLD TYPE			
One adult, no children	112	51.2	41.3, 56.2
> 1 adult, no children	126	54.4	46.5, 62.3
One adult, child/ren	31	68.6	54.3, 83
> 1 adult, child/ren	96	60.8	51.9, 69.7
INCOME			
Less than \$15,000	53	56.6	42.9, 70.2
\$15,000-24,999	57	60.3	48.8, 71.9
\$25,000-49,999	102	62.9	53.5, 72.3
\$50,000-74,999	55	58.7	45.8, 71.6
More than \$75,000	69	52.9	43, 62.8
+			

[†]Includes Hispanic and non-Hispanic persons.

MODERATE ACTIVITY

<i>Moderate activit</i> <i>increases in bre</i>			NUMBER IN SAMPLE WHO DO NO MODERATE ACTIVITIES	WEIGHTED PERCENT	95% CI
rate. Now, think	ing about the	TOTAL	136	21.7	17.4, 26
moderate activit	tes you do	GENDER			
when you are no	ot working (if	Female	89	19.2	15, 23.4
employed) in a u	isual week,	Male	47	24.7	16.8, 32.7
do you do mode	rate activities	AGE			
for at least 10 m	ninutes at a	18-24	×	*	*
time, such as br	isk walking,	25-44	42	14.8	9.7, 19.9
bicycling, vacuu	ming,	45-64	42	23.4	14.7, 32.1
gardening or an	, 0	65+	47	44	32.7, 55.3
that causes som		ETHNICITY			
breathing or hea	art rate?	Hispanic	13	13.5	4.8, 22.1
		Non-Hispanic	123	23.6	18.8, 28.4
	WEIGHTED	$RACE^{\dagger}$			
	PERCENT	Black	71	30.7	22.9, 38.5
YES	78.3	White	56	15.3	10.3, 20.3
NO	21.7	RACE [†] \SEX			
	MILOURD	Black Female	54	29.1	21.4, 36.7
	WEIGHTED FREQUENCY	Black Male	17	33	17.6, 48.4
YES	1,091,931	White Female	29	11.4	6.9, 15.9
NO	302,165	White Male	27	18.8	10.1, 27.5
NO	502,105	HOUSEHOLD TYPE			
TOTAL IN SAMPLE	648	One adult, no children	47	24.6	18, 31.2
		> 1 adult, no children	49	22.7	15.7, 29.6
		One adult, child/ren	13	28.1	14.7, 41.5
		> 1 adult, child/ren	27	18.2	10.4, 25.9
		INCOME			
		Less than \$15,000	29	31.3	18.8, 43.8
		\$15,000-24,999	30	31.7	20, 43.4
		\$25,000-49,999	24	15.1	8.2, 22.1
		\$50,000-74,999	15	16.1	6.5, 25.7
		More than \$75,000	15	11	4.9, 17
		±.			

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

Note: If a question is followed with an (A) or (B), it was only on that particular form of the questionnaire. If a question is not marked with an (A) or (B), it was asked on both forms of the survey. If a skip pattern is not mentioned following a question, it was asked of all participants.

WEEKLY MODERATE ACTIVITY FREQUENCY

How many days per week do you do these moderate activites for at least 10 minutes at time?

For respondents who do at least 10 minutes per week of moderate activiy.

	WEIGHTED PERCENT
Less than 5 days	45.4
5 or more days	54.6
	WEIGHTED
	FREQUENCY
LESS THAN 5 DAYS	495,671
5 or more days	595,671
TOTAL IN SAMPLE	511

	EXERCISERS WHO DO MODERATE ACTIVITY LESS THAN 5 DAYS A WEEK	WEIGHTED PERCENT	95% CI
TOTAL	223	45.4	40, 50.9
GENDER			
Female	150	42	35.9, 48.2
Male	73	49.9	40.3, 59.5
AGE			
18-24	13	33.7	16.1, 51.2
25-44	94	45.8	37.8, 53.7
45-64	78	48.7	39.3, 58.2
65+	37	51.7	38, 65.3
ETHNICITY			
Hispanic	36	44.7	32, 57.4
Non-Hispanic	187	45.6	39.6, 51.6
RACE [†]			
Black	82	51.4	41.6, 61.2
White	112	39.3	32.2, 46.3
RACE [†] \SEX			
Black Female	63	49.2	38.9, 59.6
Black Male	19	54.7	36, 73.4
White Female	69	36.4	28.1, 44.7
White Male	46	45.1	33.6, 56.6
HOUSEHOLD TYPE			
One adult, no children	68	43.7	35.4, 52
> 1 adult, no children	76	41.4	32.8, 50
One adult, child/ren	17	51.9	34.1, 69.7
> 1 adult, child/ren	60	50.4	40.4, 60.4
INCOME			
Less than \$15,000	31	46.6	30.6, 62.5
\$15,000-24,999	34	50.5	36.8, 64.2
\$25,000-49,999	58	46.3	35.4, 57.2
\$50,000-74,999	35	52.4	38.2, 66.6
More than \$75,000	44	37.3	27.3, 47.3

[†]Includes Hispanic and non-Hispanic persons.

DAILY MODERATE ACTIVITY DURATION

On days when you do moderate activites for at least 10 minutes at a time, how much total time per day do you spend doing these activities?

For respondents who do at least 10 minutes per week of moderate activiy.

	WEIGHTED PERCENT
Less than 30 min.	28.9
30 min. or more	71.1
	WEIGHTED
	FREQUENCY
Less than 30 min.	
Less than 30 min. 30 min. or more	FREQUENCY

	EXERCISERS WHO DO MODERATE ACTIVITY LESS THAN 30 MINUTES PER DAY	WEIGHTED PERCENT	95% CI
TOTAL	153	28.9	24.1, 33.7
GENDER			
Female	102	29.6	23.9, 35.2
Male	51	28.1	19.7, 36.4
AGE			
18-24	7	14.2	3.2, 25.3
25-44	73	32.7	25.3, 40.1
45-64	55	32.3	23.6, 41
65+	18	22.9	11.7, 34.2
ETHNICITY			
Hispanic	28	36	23.3, 48.7
Non-Hispanic	125	27	22, 32
RACE [†]			
Black	47	29	20.3, 37.6
White	90	29.6	23.2, 36
RACE [†] \SEX			
Black Female	37	32.6	22.6, 42.5
Black Male	10	23.6	8.5, 38.7
White Female	54	28.6	21.1, 36.1
White Male	37	30.4	19.9, 40.9
HOUSEHOLD TYPE			
One adult, no children	55	34.3	26.4, 42.3
> 1 adult, no children	55	30.4	22.4, 38.4
One adult, child/ren	7	23.4	7.9, 38.8
> 1 adult, child/ren	36	25.3	17.1, 33.5
INCOME			
Less than \$15,000	18	31.5	15.6, 47.4
\$15,000-24,999	27	37.1	23.9, 50.3
\$25,000-49,999	40	25.5	17.2, 33.9
\$50,000-74,999	21	25.8	13.6, 37.9
More than \$75,000	32	27.7	18.3, 37.2

[†]Includes Hispanic and non-Hispanic persons.

MODERATE ACTIVITY CRITERIA

A calculated var "Meets criteria" respondents wh moderate physic	is defined as o reported		NUMBER IN SAMPLE WHO DO NOT MEET MODERATE PHYSICAL ACTIVITY CRITERIA	WEIGHTED PERCENT	95% CI
1 2	2 5	TOTAL	438	69.6	65.2, 74
<i>30 or more minutes per day, five or more days per week.</i>		GENDER			
"Does not meet	*	Female	293	67	61.7, 72.3
defined as respo		Male	145	72.8	65.6, 79.9
reported either		AGE			
physical activity		18-24	21	51	33.5, 68.6
30 minutes or n		25-44	174	68.1	61.7, 74.5
five or more day	1 2	45-64	148	73.9	66.6, 81.2
moderate physic	1 5	65+	94	81.9	74.1, 89.6
1 2	2	ETHNICITY			
	WEIGHTED	Hispanic	62	69.6	58.8, 80.4
	PERCENT	Non-Hispanic	376	69.6	64.8, 74.3
MEETS CRITERIA	30.4	$RACE^{\dagger}$			
DOES NOT MEET	69.6	Black	176	77.4	70.7, 84.1
CRITERIA		White	218	62.7	56.4, 69
	WEIGHTED	RACE [†] \SEX			
	FREQUENCY	Black Female	138	80.3	73.7, 86.9
MEETS CRITERIA	417,586	Black Male	38	73.4	60, 86.7
DOES NOT MEET		White Female	128	57.6	49.5, 65.8
CRITERIA	954,435	White Male	93	69.3	60.2, 78.4
		HOUSEHOLD TYPE			
TOTAL IN SAMPLE	639	One adult, no children	145	71	64.4, 77.5
		> 1 adult, no children	153	68.3	61.2, 75.4
		One adult, child/ren	32	69.8	56.1, 83.5
		> 1 adult, child/ren	106	70.4	62.3, 78.5
		INCOME			
		Less than \$15,000	68	76.9	65.6, 88.3
		\$15,000-24,999	78	78.9	69.6, 88.3
		\$25,000-49,999	100	65.1	56, 74.3
		\$50,000-74,999	59	67.5	55.9, 79.2
		More than \$75,000	78	59.3	49.5, 69.1
		t			

[†]Includes Hispanic and non-Hispanic persons.

VIGOROUS ACTIVITY

Vigorous activity increases in bre			NUMBER IN SAMPLE WHO DO NO VIGOROUS ACTIVITIES	WEIGHTED PERCENT	95% CI
rate. Now, thinking about the vigorous activites you do		TOTAL	386	56.6	51.7, 61.5
		GENDER			
when you are not working (if		Female	275	61.3	55.9, 66.7
employed) in a		Male	111	50.7	42.1, 59.4
you do moderat	2	AGE			
at least 10 minu		18-24	22	46.2	29.3, 63.1
such as running		25-44	117	43.5	36.3, 50.7
heavy yard work	2 0	45-64	145	68.1	59.9, 76.3
else that causes	U	65+	102	84.1	76.2, 91.9
in breathing or	heart rate?	ETHNICITY			
		Hispanic	57	61.4	49.7, 73.2
	WEIGHTED	Non-Hispanic	329	55.5	50.1, 60.9
	PERCENT	RACE [†]			
YES	43.4	Black	163	65.3	57, 73.7
NO	56.6	White	188	50.1	43.4, 56.7
		RACE [†] \SEX			
	WEIGHTED FREQUENCY	Black Female	127	71	63.2, 78.7
YES	604,149	Black Male	36	57.2	40.8, 73.5
NO	787,811	White Female	122	53.8	45.8, 61.9
NO	707,011	White Male	67	45.1	34.5, 55.6
TOTAL IN SAMPLE	647	HOUSEHOLD TYPE			
		One adult, no children	138	64.5	57.5, 71.5
		> 1 adult, no children	133	55.3	47.4, 63.1
		One adult, child/ren	29	60.9	45.9, 75.9
		> 1 adult, child/ren	85	53.9	44.6, 63.2
		INCOME			
		Less than \$15,000	76	88.6	81.9, 95.2
		\$15,000-24,999	69	65.1	53.9, 76.3
		\$25,000-49,999	91	52.3	42.3, 62.3
		\$50,000-74,999	52	54	40.7, 67.3
		More than \$75,000	49	34.2	24.9, 43.5

[†]Includes Hispanic and non-Hispanic persons.

WEEKLY VIGOROUS ACTIVITY FREQUENCY

How many days per week do you do these vigorous activites for at least 10 minutes at time?

For respondents who do at least 10 minutes per week of vigorous activiy.

	WEIGHTED PERCENT
less than 3 days	37.5
3 or more days	62.5
	WEIGHTED FREQUENCY
LESS THAN 3 DAYS	226,274
3 or more days	376,944
TOTAL IN SAMPLE	260

	EXERCISERS WHO DO VIGOROUS ACTIVITY LESS THAN 3 DAYS A WEEK	WEIGHTED PERCENT	95% CI
TOTAL	96	37.5	29.9, 45.1
GENDER			
Female	66	38.3	29.6, 47.1
Male	30	36.7	24.2, 49.2
AGE			
18-24	7	36.7	13, 60.4
25-44	58	36.2	26.8, 45.7
45-64	23	39.9	24.3, 55.6
65+	8	47.3	19.5, 75
ETHNICITY			
Hispanic	12	39.7	20, 59.4
Non-Hispanic	84	37.1	28.8, 45.3
RACE [†]			
Black	27	37.7	22.6, 52.8
White	57	36.6	27.1, 46.1
RACE [†] \SEX			
Black Female	20	35.6	21.3, 49.9
Black Male	7	39.7	13.5, 66
White Female	36	35.7	24.1, 47.3
White Male	22	38.4	23.9, 52.9
HOUSEHOLD TYPE			
One adult, no children	26	32.9	21.6, 44.2
> 1 adult, no children	34	70	30.5, 59.6
One adult, child/ren	11	42.7	47.3, 92.6
> 1 adult, child/ren	25	29.5	17.4, 41.5
INCOME			
Less than \$15,000	*	*	*
\$15,000-24,999	15	45.1	25.2, 65.1
\$25,000-49,999	28	40.7	25.2, 56.2
\$50,000-74,999	14	38.4	17.5, 59.2
More than \$75,000	24	25.8	15.8, 35.8

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

DAILY VIGOROUS ACTIVITY DURATION

On days when you do vigorous activites for at least 10 minutes at a time, how much total time per day do you spend doing these activities?

For respondents who do at least 10 minutes per week of vigorous activiy.

	WEIGHTED PERCENT
LESS THAN 20 MIN.	14.7
20 MIN. OR MORE	85.3
	WEIGHTED FREQUENCY
LESS THAN 20 MIN.	87,641
20 MIN. OR MORE	508,836

	EXERCISERS WHO DO VIGOROUS ACTIVITY LESS THAN 20 MINUTES PER DAY	WEIGHTED PERCENT	95% CI
TOTAL	24	14.7	7.8, 21.6
GENDER			
Female	13	10.2	4.1, 16.3
Male	11	19	7, 31
AGE			
18-24	*	*	*
25-44	11	11	3.2, 18.8
45-64	7	9.3	1.1, 17.5
65+	*	*	*
ETHNICITY			
Hispanic	*	*	*
Non-Hispanic	19	14.4	6.5, 22.3
RACE [†]			
Black	10	22.8	7.3, 38.4
White	11	9.4	2.3, 16.5
RACE [†] \SEX			
Black Female	6	12.6	2.5, 22.7
Black Male	*	*	*
White Female	*	*	*
White Male	7	14.2	2.1, 26.2
HOUSEHOLD TYPE			
One adult, no children	*	*	*
> 1 adult, no children	9	12.4	3.5, 21.4
One adult, child/ren	*	*	*
> 1 adult, child/ren	9	21.9	7.2, 36.5
INCOME			
Less than \$15,000	*	*	*
\$15,000-24,999	*	*	*
\$25,000-49,999	10	23.4	7.4, 39.4
\$50,000-74,999	*	*	*
More than \$75,000	*	*	*

[†]Includes Hispanic and non-Hispanic persons.

*Count, percent and 95% CI suppressed because count is 5 or less.

VIGOROUS ACTIVITY CRITERIA

or more minute or more days pe not meet criteri as respondents either no vigoro	<i>is defined as</i> to reported <i>al activity for 20</i> <i>s per day, three</i> <i>er week. "Does</i> <i>a" is defined</i> <i>who reported</i> <i>who reported</i> <i>bus physical</i> <i>han 20 minutes</i> <i>three or more</i> <i>of vigorous</i>	TOTAL GENDER Female Male AGE 18-24 25-44 45-64 65+ ETHNICITY	NUMBER IN SAMPLE WHO DO NOT MEET VIGOROUS ACTIVITY CRITERIA 494 346 148 31 181 171 111	WEIGHTED PERCENT 76.6 78 74.9 76.9 68.2 81.5 92.9	95% CI 72.7, 80.6 73.3, 82.7 68.1, 81.6 62.9, 90.9 61.7, 74.6 75, 87.9 88, 97.7
MEETS CRITERIA DOES NOT MEET CRITERIA	WEIGHTED PERCENT 23.4 76.6	Hispanic Non-Hispanic RACE[†] Black White	71 423 196 251	80.3 75.8 85.1 70	70.9, 89.6 71.4, 80.1 79.4, 90.7 64.1, 75.9
MEETS CRITERIA DOES NOT MEET CRITERIA	WEIGHTED FREQUENCY 323,755 1,060,533	RACE [†] \SEX Black Female Black Male White Female White Male	150 46 160 93	84.2 86.4 71 68.8	77.6, 90.7 76.5, 96.3 63.5, 78.5 59.6, 78
TOTAL IN SAMPLE	644	HOUSEHOLD TYPE One adult, no children > 1 adult, no children One adult, child/ren > 1 adult, child/ren	166 170 41 116	77 75.7 91.2 76	70.7, 83.4 69.4, 82.1 83, 99.5 68.6, 83.4
		INCOME Less than \$15,000 \$15,000-24,999 \$25,000-49,999 \$50,000-74,999 More than \$75,000	82 84 124 68 74	94.2 81 77.5 77.4 52.4	89.4, 98.9 71.8, 90.2 69.6, 85.5 67.9, 86.8 42.5, 62.3

[†]Includes Hispanic and non-Hispanic persons.

REGULAR & SUSTAINED PHYSICAL ACTIVITY

A calculated variable. "Meets/ exceeds standard" is defined as respondents who reported moderate physical activity for at least 30 or more minutes per *day, five or more days per week* OR vigorous physical activity for at least 20 or more minutes per day, three or more days per week."Does not meet standard" is defined as respondents who reported neither moderate nor vigorous physical activity, or reported moderate physical activity for less than 30 or more minutes per day, five or more days per week OR vigorous physical activity for less than 20 or more minutes per day, three or more days per week.

	WEIGHTED PERCENT
MEETS/EXCEEDS STANDARD	39.6
does not meet Standard	60.4
	WEIGHTED FREQUENCY
MEETS/EXCEEDS STANDARD	553,247
does not meet Standard	844,065
TOTAL IN SAMPLE	649

	NUMBER IN SAMPLE WHO DO NOT MEET REGULAR & SUSTAINED PHYSICAL ACTIVITY STANDARD	WEIGHTED PERCENT	95% CI
TOTAL	387	60.4	55.7, 65.1
GENDER			
Female	267	58.8	53.3, 64.3
Male	120	62.5	54.6, 70.4
AGE			
18-24	19	47.3	30, 64.5
25-44	144	55.9	48.9, 62.9
45-64	131	63.7	55.5, 71.9
65+	93	79.5	71.5, 87.5
ETHNICITY			
Hispanic	55	59.9	48.3, 71.6
Non-Hispanic	332	60.5	55.4, 65.6
RACE [†]			
Black	164	71	63.8, 78.2
White	188	53.1	46.5, 59.7
RACE [†] \SEX			
Black Female	129	71.9	64.1, 79.6
Black Male	35	69.7	56, 83.3
White Female	114	49.6	41.6, 57.6
White Male	76	57.2	47, 67.3
HOUSEHOLD TYPE			
One adult, no children	129	60.5	53.3, 67.7
> 1 adult, no children	135	60.6	53.2, 68
One adult, child/ren	32	69.8	56.1, 83.5
> 1 adult, child/ren	90	59	50.1, 67.9
INCOME			
Less than \$15,000	24	73.2	61.5, 84.9
\$15,000-24,999	30	67.3	56.3, 78.4
\$25,000-49,999	66	58.8	49.2, 68.3
\$50,000-74,999	44	58.5	46, 71
More than \$75,000	76	39.8	30.2, 49.4
+			

[†]Includes Hispanic and non-Hispanic persons.