
CHICAGO COVID-19 UPDATE March 28, 2020

There are 1,882 cases of COVID-19 and 15 deaths among Chicago residents as of March 28, 2020. This is an increase of 393 cases since yesterday.

Confirmed daily COVID-19 cases



Confirmed cumulative COVID-19 cases



restariation for Chic

Daily and cumulative coronavirus 2019 (COVID-19) cases reported for Chicago residents with known specimen collection date. Results for several previous days are updated each day. Note, there was one case of COVID-19 reported in January 2020 that is not included in the daily counts.

COVID-10 Cose Ch

COVID-19 Morbidity and Mortality by Geography					
GEOGRAPHY	CASES ¹	DEATHS	PLACES AFFECTED		
Chicago	1,882	15	NA		
Illinois (<u>IDPH link</u>)	3,491	47	40/102 COUNTIES		
U.S. (<u>JHU link</u>)	115,547	1,891	50/50 <i>STATES</i>		
World (<u>WHO link</u>)	571,678	26,495	201/251 COUNTRIES		

COVID-19 Death Characteristics for Chicago residents

CHARACTERISTIC	DEATHS	% DEATHS WITHIN ROW GROUP
Chicago	15	0.8%
Age		
0-17	1	3.7%
18-59	2	0.2%
60+	12	2.3%
Gender		
Female	4	0.5%
Male	11	1.1%

¹Does not include persons with pending COVID-19 tests or persons with COVID-19 related illness who have not been tested. ²Among those with known hospitalization status. ³Ever hospitalized, even if discharged.


COVID-19 Case Characteristics for Chicago residents			
CHARACTERISTIC	% TOTAL CASES ¹		
Age			
0-17	1.4%		
18-59	70.6%		
60+	27.6%		
Under investigation	0.4%		
Range	<1 to 95 years		
Gender			
Female	46.4%		
Male	52.9%		
Under investigation	0.7%		
Hospitalizations ²			
Never hospitalized	64.3%		
Ever hospitalized ³	35.7%		
Hospitalizations by age group			
0-17	0%		
18-59	46.6%		
60+	53.1%		
Under investigation	0.3%		




COVID-19 symptoms are similar to those of influenza, so monitoring influenza-like illness (ILI) may also help identify COVID-19. ILI activity in 2020 that is higher than what was experienced in 2019 could indicate the presence of COVID-19 in the community.

Annual influenza surveillance conducted by CDPH includes information on outpatient visits to health care providers for ILI. ILI is defined as fever (temperature of 100°F [37.8°C] or greater) and a cough and/or a sore throat without a known cause other than influenza. Emergency department (ED) visits for ILI are reported through a surveillance system called ESSENCE that captures the chief complaints of patients. Because persons over age 65 are at higher risk of severe illness due to COVID-19, we are also specifically monitoring the ED visits of older adults.

Percent of weekly outpatient visits at reporting providers due to influenza-like illness in Chicago among all age groups, 2020 vs. 2019



Percent of daily emergency department (ED) visits due to influenza-like illness in Chicago among all age groups, 2020 vs. 2019



Percent of daily emergency department visits attributed to influenza-like illness for Chicago zip codes based on chief complaint submitted to ESSENCE.

Percent of daily emergency department (ED) visits due to influenza-like illness in Chicago among persons aged 65+, 2020 vs. 2019

